FUBLISHED AND PRINTED BY:
FUBLISHED AND PRINTED BY:
U.S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY
WASHINGTON D.C.

# HORIZONTAL CONTROL DATA

by the Coast and Geodetic Survey NORTH AMERICAN 1927 DATUM

> LATITUDE 36°00' TO 36°30' LONGITUDE 109°00' TO 109°30' DIAGRAM NJ 12-12 SHIPROCK QUAD 361092 STATION 1001

DEPARTMENT OF COMMERCE

J. S. COAST AND SECURIC SURVEY

FORM 525

Bot. Aug. 1948

DESCRIPTION OF TRIANGULATION STATION

STATE: Arizona /

County: Apache

NAME OF STATION: SEZNINI (USGS) CHIEF OF PARTY: Walter R. Helm / Underground-station mark HEIGHT OF TELESCOPE ABOVE STATION MARK 1.72 DISTANCES AND DIRECTIONS TO AZIMUTH MARK, REFERENCE MARKS AND PROMINENT OBJECTS
WHICH CAN BE SEEN FROM THE GROUND AT THE STATION YEAR: 1951 METERS.

HEIGHT OF LIGHT ABOVE STATION WARK 1.42 Described by: V.H. Burns

METERS.

STATE: Ariz.

The station is located on the highest point of Semnini Mountain. It is about 30 miles airline north-northwest of Fort Defiance, about 35 miles airline north-northeast of Ganalo, and about 18 miles airline north-northwest of Sammill. Azimuth Wark R.W. #2 SONSALA (USGS) Black Pinnacle Lookout House OBJECT BEARING NE (about 5 miles)
nt of Sezmini Mountain. 18.735 5.701 (about 0.8 mile) teet 6.439 meters 8433 DIRECTION: 842 ۶. د 50.2

Reference mark number two is a standard UC Geological Survey disk stamped \*NO 2\* Reference mark number one is a standard US Scological Survey disk stamped \*NO 1 \* set in a drill hole in an outeropping of bedrock and is about 2 feet higher than the drill hole in an outcropping of bedrock. station.

station is a standard US Geological Survey disk stamped "SEZNINI 1936" set in a

The azimuth mark is a standard disk stamped "SEZNINI 1951 USGS" set in a drill hole

in an outcropping of bedrock which is flush with the ground. It is 4 feet we of a small cairm and 5 feet west of a small pinon tree with a triangle blaze. It is 4 feet west-eouthwest

To reach the azimuth mark from the cross roads and the hogan, continue straight

just before reaching a small church on the left. Continue for 0.8 mile to a side road on the left just after crossing over a small ditch; turn left and go 1.1 miles to a fence corner. Follow the fence line for 0.3 mile; turn left and go 0.1 mile to a corral. Pass to the right of the corral and follow the track road southerly for 0.25 mile to a small canyon; cross the creek, turn left and follow the main right hand track roads for 4.5 miles to a dam on the left. Pass to the right of the dam and go south for 1.0 mile to a fork; take the left fork, cross the wash and follow the track road for 0.8 mile to a fork; take the right fork and go 1.2 miles to a fork; take the right fork and go 1.2 miles to a fork; take the right for k and go 0.5 mile to a tox take the right fork and go 0.5 mile to a cross road and a hogan on the right to a fork; take the right fork and go east for 0.2 mile to a pinon tree with a triangle blaze. Turn left and go east for 0.2 mile through the sage brank to the base of the hill and the end of timek travel Pack we hill eaterly to the right to the road. ahead in a southerly direction for 0.8 mile to a small pinon tree with a triangle blase which is about 100 yards to the left of the road. From the tree,go about 100 yards east to a small bluff, a cairn, a small pinon tree with a triangle blaze, and the azimuth mark. To reach the station from the Forest Service Headquarters in Fort Defiance, go north for 0.5 mile to a bridge. Gross the bridge and continue north on the dirt road for 0.5 mile to a fork; take the left fork and follow the main traveled road northerly for 13.7 miles to a fork take the left fork and springs outtinue north on the left fork for 1.3 miles to a fork; take the left fork as per sign "Ekzebukai" and go 2.7 miles to a bridge and a fork; take the right fork and go 6.3 miles to Wheatfield Lake. Continue north for 1.9 miles to a bridge over Wheatfield Greek; continue north for 5.5 miles to a bridge hill and the end of truck travel. Pack up hill easterly to the highest point and the iden. It is a 45 minute rack publication of transplation. Direction-angle measured clockwise, referred to initial surfor.

# ADJUSTED HORIZONTAL CONTROL DATA

NAME OF STATION: SEZNINI USGS

First -ORDER Triangulation source: G-9321

LOCALITY:

Tohatchi, N. Mex. to Tuba City, Ariz.

FIELD SKETCH: ARIZ 32

| AZIMUTH MARK                |                               | DATA                   |            | STATE:<br>ZONE:<br>CODE: | ZOME: E<br>CODE: 0201                            | GRID DATA          |
|-----------------------------|-------------------------------|------------------------|------------|--------------------------|--------------------------------------------------|--------------------|
| ARK                         | TO STATION                    | LATITUDE: 36°08'53"472 | POSI       | ч х                      | x 757,291.02<br>y 1,874,303.84                   | COORDINATES (Feet) |
|                             |                               |                        | POSITION   |                          | 187°06'15"<br>+ 0 30 51                          | PLANE AZIMUTH      |
| 187°                        | GEODETIC                      | NORTH<br>WEST          |            |                          | <del>                                     </del> |                    |
| THIRD ORDER<br>187°37'06".0 | GEODETIC AZIMUTH (From south) |                        | SECONDS IN |                          | AZIMUTH MARK                                     |                    |
|                             | LOGARITHM (Meters)            | 2324.3<br>7626         | ELEV       |                          |                                                  | MARK               |
|                             | NCE                           | 3 METERS               | ELEVATION  | -                        |                                                  |                    |

Arizona (408)

Apache County

INDIAN

1927 N.A.D. (Adj.)

R.B. Steele, 1937 R.B. Wallace, 1949

Books: PH 114, D 2425-34

Located 11.6 mi by rd. NE. of Chinle Indian School, on timbered ridge 0.5 mi W. of Chinle-Lukachukai Rd. and 0.35 mi SW. of a hogan; station is under and about 18 inches NE. of an 8 inch pinon tree which was trimmed of all limbs and built into an observing platform.

To reach from Chinle, drive NE. 10.6 mi along Chinle-Lukachukai Rd. to Y-rd. fork in bottom of draw; then turn left and follow dim rd. 0.5 mi to top of ridge; turn left and follow dim rd. and truck track in southerly direction to station. No. 8 .... 196

Station mark: Standard tablet stamped "INDIAN 1936", cemented in boulder in ground.

Reference mark No. 1: Wire nail cemented in boulder and placed in ground, 23.0 ft from station mark in azimuth 204°41'.

Reference mark No. 2: Standard reference mark tablet stamped "INDIAN 1936", cemented in boulder in ground, 24.94 ft from station mark in azimuth 304°58'.

Note by R.B.W., 1949: Station recovered as described. Station mark and Reference mark No.  $^{\prime}\mathcal{Z}$  found in place. Reference mark No.  $^{\prime}\mathcal{Z}$ had been removed, a wire nail was set in same hole replacing the mark.

Note: The 8-inch pinon tree used as an instrument stand has been cut down. A 14 ft wooden tower was centered over station for observing.

ARIZONA ZONE EAST X = 722, 134.59Y=1,896,043.89

V.A. Elevation: 6810 ft

Latitude 36°12'31.370" Longitude 109°24'49.304"

| To Station                                                                                                         | Azimuth                                                                                                                                                                       | Back Azimuth                                                                                                                                                                           | Feet                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Tuly Bia Sibasila Slim Chin Lee N.E.B. Red Mesa Dog West Slag Reset Carson Reset Hades 2 Hump Reset Rim Reset Rock | Azimuth  16°51'48.76" 39 04 52.40 67 25 04.04 69 43 57.31 73 12 52.65 112 05 45.65 136 56 48.79 146 25 02.95 152 37 30.91 160 30 46.96 166 31 00.61 227 28 21.50 300 43 27.34 | Back Azimuth  196°50'17.88" 219 02 02.54 247 21 54.44 249 38 05.54 253 05 24.39 291 57 38.93 316 47 46.23 326 23 18.41 332 29 47.10 340 26 38.22 346 29 10.70 47 31 45.30 120 45 17.62 | Feet  43,588.31" 37,453.70 28,509.42 52,087.45 65,040.25 72,742.88 109,664.83 26,180.62 138,777.85 102,771.83 65,120.66 38,299.65 |
| NO CIV                                                                                                             | Page 1 of 2                                                                                                                                                                   | 120 43 17.02                                                                                                                                                                           | 12/9/70 b1m                                                                                                                       |

Mile Jery

Arizona (408)

Apache County

ANTELOPE

1927 N.A.D. (Adj.)

R.B. Steele, 1937

Book: D 2425-34

Located 9.0 mi by rd. E. of Chinle Indian School, 1.0 mi NE. of Antelope House ruins; on point of high mesa near N. rim of Canyon Del Muerto; opposite island like rock at jct. of Black Rock Canyon with Canyon Del Muerto; on W. rim of a short side canyon; about 50 ft back from S. point of mesa.

To reach from Chinle, drive SE. on Chinle-Fort Defiance Rd. 0.45 mi to junction of Lukachukai Rd. and ford crossing of Canyon de Chelly River; thence follow Lukachukai Rd. 7.0 mi to Y-rd. fork; turn right and follow dim rd. toward high mesa keeping to S. of high mesa. Truck can be driven to a point under mesa rim. A 10 minute walk from base of rim to station.

Station mark: Standard tablet stamped "ANTELOPE 1936", cemented in bedrock.

Reference mark No. 1: A 2-inch copper disk cemented in bedrock, and marked "USDINPS" and stamped "STA 2", 10.60 ft from station mark in azimuth 37°45'.

Reference mark No. 2: Standard reference mark tablet stamped "NO 2", cemented in bedrock, 53.50 ft from station mark in azimuth 182°10'.

ARIZONA ZONE EAST X= 717,740.65

Elevation: None.

X= /1/, /40.65 Y=1,879,886.70

O

Latitude 36°09'51.922" Longitude 109°25'44.417"

| To Station      | Azimuth      | Back Azimuth  | Feet      |
|-----------------|--------------|---------------|-----------|
| Sibasila        | 55°50'31.25" | 235°48'13.99" | 23,069.93 |
| Slim            | 103 20 37.07 | 283 18 00.10  | 22,410.02 |
| Rock            | 250 28 50.50 | 70 31 13.25   | 21,035.29 |
| New Mexico Hill | 325 40 21.51 | 145 42 22.25  | 29,801.77 |

0

0

ARIZONA

R. B. Steele, 1937 (Not occupied)

Located about 11.4 mi. by rd. NE. of Chinle and 2.7 mi. NW. of Chinle-Lukachukai Road on SE. slope of timbered ridge.

To reach from Chinle, drive NE. on Chinle-Lukachukai Road 7.5 mi. to Y-rd. fork; take left hand rd. and follow 1.6 mi. to Y-rd. fork; take right hand rd. 0.4 mi. to rd. fork; turn right (sharp angle) and follow rd. 1.0 mi. to Y-rd. fork; take left hand rd. to top of mesa; turn right and follow dim rd. 0.1 mi. to station.

Station mark: Standard tablet stamped "PINON 1936", cemented in bedrock.

ARIZONA ZONE EAST

X= <del>714,878.3</del> 714,878.26 Y=1,075,184.79

No elevation

Latitude: 36°12'43.200"

Longitude: 109°26'17.741"

| To Station        | Azimuth     | Back Azimuth | <u>Feet</u> |
|-------------------|-------------|--------------|-------------|
| Sibasila          | 28°22'50.5" | 208°20'52.9" | 34,410.3    |
| Slim              | 57 30 15.4  | 237 27 58.0  | 22,613.4    |
| Chin Lee NE. Base | 65 10 24.3  | 245 05 25.2  | 45,848.4    |
| Indian            | 279 21 48.0 | 99 22 40.2   | 7,345.3     |
| Rock              | 294 31 08.2 | 114 33 50.7  | 24,794.1    |
| New Mexico Hill   | 335 00 44.4 | 155 03 04.8  | 46,259.2    |

Arizona (408)

Apache County

LEE

1927 N.A.D. (Adj.)

R.B. Steele, 1937 W.K. Platt, 1955 (n)

Books: PH 388, D 2425-34

Located 20.0 mi by rd. and trail SE. of Chinle Indian School, about 1.25 mi (airline) E. of Lee Dam and double tank; on a well defined hump at N. end of high spur ridge extending northerly from a high and heavily timbered mesa or plateau. This hump was cleared of all timber and brush this date except one bushy-top pinon tree about 35 ft SW. of station mark which was trimmed of all lower limbs leaving a bushy top for a landmark. Station is on highest point of hump.

To reach from Chinle, drive SE, on Chinle-Fort Defiance Rd. 17.5 mi to X-rds.; thence turn left and follow rd, crossing a draw on Lee Dam in 0.25 mi; crossing another draw in 0.3 mi; continuing on another 0.3 mi to a Y-rd. fork on S. side of bottom of another draw; turn right on dim rd, leading up slope through timber and coming out on sagebrush flat; continue following dim rd. and truck tracks northeasterly (about 1.0 mi from main rd.) to E. edge of sage and foot of ridge under signal and station. Hike E. up slope to station (a 45 minute hike.)

Station mark: Standard tablet stamped "LEE 1936", cemented in bedrock.

Reference mark No. 1: Standard reference mark tablet stamped "LEE NO 1 1936", cemented in rock outcrop, 34.75 ft from station mark in azimuth 112°49'.

Reference mark No. 2: Standard reference mark tablet stamped "LEE NO 2 1936", cemented in rock outcrop, 34.21 ft from station mark in azimuth 205°46'.

Note by W.K.P., 1955: Recovered but not occupied.

75361

ARIZONA ZONE EAST X= 754,011.20 Y=1,828.844.60

V.A. Elevation: 7533 ft

Latitude 36°01'24.212" Longitude 109°18'27.598"

| To Station      | Azimuth      | Back Azimuth  | Feet      |
|-----------------|--------------|---------------|-----------|
| Summit          | 38°05'20,66" | 218°04'10.89" | 15,810.95 |
| Snake           | 77 52 10.75  | 257 42 00.72  | 87,262.65 |
| Sage            | 103 14 02.52 | 283 09 24.00  | 39,939.43 |
| Tuly Bia        | 120 22 56.60 | 300 17 41.24  | 50,972.99 |
| Sibasila        | 124 58 52.62 | 304 52 18.37  | 67,036.92 |
| New Mexico Hill | 144 31 52.22 | 324 29 35.63  | 32,820.67 |
| Yata            | 148 52 59.64 | 328 50 14.50  | 44,521.43 |
| Seznini (USGS)  | 184 37 57.61 | 4 38 24.04    | 45,578.52 |
| Sonsala (USGS)  | 247 17 04.60 | 67 25 11.45   | 73,579.71 |

| U.S. DEPARTMENT OF THE INTERIOR<br>GEOLOGICAL SURVEY |
|------------------------------------------------------|
| FORM 9-1165                                          |
| (Rev. 3-60)                                          |

| U.S                                       | DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY FORM 9-1165 (Rev. 3-60) | REPORT ON    | PERMANEN                                | r survey                  | MARK      |                       | AREA        | OFFICE        |
|-------------------------------------------|----------------------------------------------------------------------|--------------|-----------------------------------------|---------------------------|-----------|-----------------------|-------------|---------------|
|                                           | State Arizona                                                        | Co           | OUNTY Apache                            |                           | QUADRAN   | <sub>GLE</sub> Canyon | Del M       | uerto SE      |
|                                           | Quote Primary Reference                                              | E See below  |                                         | (D)11                     |           |                       |             |               |
| _                                         |                                                                      |              |                                         | (Direction and o          | listance) |                       |             |               |
| <u>\$</u>                                 | DESIGNATION { LISTED L                                               | EE 1936      |                                         |                           |           |                       |             |               |
| (or indicated)                            | STAMPED                                                              |              |                                         | Type of Mark              | : BM      | TT                    | TRIAN       | G. X          |
| ř                                         | 76 . 00                                                              | . 2/. 212    | Condition                               |                           |           | ESTABLISH             | ED BY       |               |
| ين                                        | Lat. 36 • 00<br>Long. 109 • 18                                       | . 27 508     | Disturbed [                             | l                         | USGS      | <b>*</b>              | USBR        |               |
| are<br>side,                              | Long. 1978 - 7536.1                                                  |              | Destroyed                               |                           | USC&GS    |                       | State GS    |               |
| and send to nearest<br>m on reverse side. | Elev. Apro - 722011                                                  | Y leet       | Not Found                               | . 🗆                       | USNPS     |                       | USNFS       |               |
| eve t                                     |                                                                      |              |                                         |                           | USGLO     |                       | (Other)     |               |
| d se                                      | REMARKS OR REVISED DESC                                              | CRIPTION:    |                                         | ·                         | USBLM)    |                       | ,           |               |
|                                           | Janatad 20 miles SP                                                  |              | n a well de                             | fined smal                | ll top a  | t the N.              | end Of      | a high        |
| Bho                                       | ridge akanakag ext                                                   |              |                                         |                           |           |                       |             | -             |
| prepare in triplicate<br>address shov     | 0                                                                    | J            | •                                       | 3                         |           | •                     |             |               |
| B                                         | Reached be helicopt                                                  | er. Ship can | land at st                              | ation.                    |           |                       |             |               |
| are                                       | NOTE: There was a f                                                  | ive foot cai | rn on the h                             | igh <mark>e</mark> st poi | nt of t   | op and t              | he rema:    | ins <b>of</b> |
| pre                                       | an old signal. The                                                   | station mark | was assume                              | d to be in                | good c    | ondition              | . Both 1    | R. M's        |
| Please                                    | were searched for a                                                  | nd not found | . It appear                             | s they hav                | e been    | removed               | as evide    | ence          |
| Ple                                       | SUBMITTED BY Robert D                                                | Mead         | *************************************** |                           |           |                       |             |               |
|                                           | TITLES. Carto                                                        |              |                                         | 1                         | DATE      |                       | <u>8-78</u> |               |
|                                           | AGENCY USGS                                                          |              |                                         |                           |           |                       |             |               |
|                                           | Marks found in good condition n                                      |              |                                         |                           |           |                       |             |               |
|                                           | 1654252-4                                                            | FILL IP      | I ALL AVAILABLE                         | INFORMATION               |           |                       | (6          | OVER)         |
|                                           |                                                                      |              |                                         |                           |           |                       |             |               |
|                                           |                                                                      |              |                                         |                           |           |                       |             | 74            |
|                                           |                                                                      |              |                                         |                           |           |                       |             |               |

FILE GUPY

Arizona (408)

Apache County

NEW MEXICO HILL

1927 N.A.D. (Adj.)

R.B. Steele, 1937 W.K. Platt, 1955 (n)

Books: PH 388, D2425-34

Located about 15.2 mi by rd. SE. of Chinle Indian School, 4.0 mi NE. of Chinle-Fort Defiance Rd.; 1.0 mi W. of Tatezoka Tank and 2.0 mi S. of Canyon De Chelly. Station is 20 ft S. of highest point at SW. end of prominent timber covered ridge.

To reach from Chinle, drive SE. 11.2 mi on Chinle-Fort Defiance Rd. to Y-rd. fork; turn left and follow main rd. NE. 1.35 mi to junction with another main rd. which bears approximately N.-S.; follow rd. N. 0.15 mi to Y-rd. fork; take left hand dim rd. and follow 0.9 mi to Tatezoka Tank; turn left and follow dim rd. and truck tracks 1.6 mi to station. Car can be driven to station.

Station mark: A 2-inch copper disc marked "USDI-NPS" stamped "NEW MEXICO HILL" (as recovered).

Note: This station was used and two reference marks established as follows:

Reference mark No. 1: Standard reference mark tablet stamped "NEW MEXICO HILL NO 1", cemented in bedrock, 14.13 ft from station mark in azimuth 115°32'.

Reference mark No. 2: Standard reference mark tablet stamped "NEW MEXICO HILL NO 2", cemented in rock outcrop, 20.0 ft from station mark in azimuth 224°50'.

Note by W.K.P., 1955: Station recovered but not occupied.

ARIZONA ZONE EAST X= 734,732.12 Y=1.855.404.84 V.A. Elevation: 6942 ft

Latitude 36°05'48.491" Longitude 109°22'19.647"

| Sibasila       108 01 32.67       287 57 14.83       37,741.65         Slim       127 40 44.34       307 36 06.74       48,763.07         Antelope       145 42 22.25       325 40 21.51       29,801.77         Yata       160 46 05.20       340 45 36.68       12,055.47         Indian       163 14 45.74       343 13 17.45       42,548.53         Rock       185 29 12.80       5 29 34.67       31,783.42 | To Station                                                 | Azimuth                                                                                                                      | Back Azimuth                                                                                                              | <u>Feet</u>                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Lee 324 29 35.63 144 31 52.22 32,820.67                                                                                                                                                                                                                                                                                                                                                                           | Sibasila Slim Antelope Yata Indian Rock Seznini (USGS) Lee | 108 01 32.67<br>127 40 44.34<br>145 42 22.25<br>160 46 05.20<br>163 14 45.74<br>185 29 12.80<br>230 30 48.51<br>324 29 35.63 | 287 57 14.83<br>307 36 06.74<br>325 40 21.51<br>340 45 36.68<br>343 13 17.45<br>5 29 34.67<br>50 33 31.76<br>144 31 52.22 | 48,763.07<br>29,801.77<br>12,055.47<br>42,548.53<br>31,783.42<br>29,430.06 |

Arizona (408)

Apache County

TULY BIA

1927 N.A.D. (Adj.)

R.B. Steele, 1936 W.K. Platt, 1955

Books: PH 388, D2425-34

Located 8.9 mi by rd. and trail SE. of Chinle Indian School, about 0.8 mi S. of Chinle-Fort Defiance Rd. where it passes head of Wild Cherry Canyon and 0.5 mi SW. of Indian settlement of Tuly Bia; on point projecting out to NE. from ridge which is sparsley covered with juniper and pinon.

To reach from Chinle, drive SE. 8.1 mi on Chinle-Fort Defiance Rd. to dim Y-rd. forks; turn right and follow dim rd. and after crossing rocky draw swing left and go through gap in fence at NE. corner of fenced field; thence back through same fence at SE. corner of same fence at SE. corner of same field; thence keep to backbone of ridge following in SW. direction to summit and station. (Car can be driven to station.)

Station mark: Standard tablet stamped "TULY BIA 1936", cemented in boulder set in ground.

Reference mark No. 1: A 2-inch copper disk marked "USDI-NPS" and stamped "STA 6", 189.73 ft from station mark in azimuth 129°47'.

Reference mark No. 2: Standard reference mark tablet stamped "NO 2", cemented in boulder, 118.33 ft from station mark in azimuth  $298^{\circ}29$ ".

Note by W.K.P., 1955: Found as described and all marks found in place.

ARIZONA ZONE EAST X= 709,814.27 Y=1,854,235.12 V.A. Elevation: 6421 ft

6421.2

Latitude 36°05'38.830" Longitude 109°27'23.368"

| To Station                  | Azimuth      | Back Azimuth  | Feet                   |
|-----------------------------|--------------|---------------|------------------------|
| Beautiful (C&GS)            | 79°03'16.47" | 258°57'53.37" | 45,874.73              |
| Sibasila                    | 139 01 46.20 | 319 00 27.37  | 16,734.78              |
| Slim                        | 156 00 15.57 | 335 58 37.08  | 33,669.92              |
| Indian                      | 196 50 17.88 | 16 51 48.76   | 43,588.31              |
| Rock                        | 220 34 20.38 | 40 37 41.36   | 42,955.25              |
| Snake Attended ART ATTENDED | 222 58 11.55 | 43 03 06.92   | 60,460.48              |
| Yata                        | 239 26 28.90 | 59 28 59.37   | 24,324.39              |
| Seznini (USGS)              | 247 30 16.73 | 67 35 59.03   | 51,546.04              |
| New Mexico Hill             | 267 43 50.74 | 87 46 49.67   | 24,946.38              |
| Lee                         | 300 17 41.24 | 120 22 56.60  | 50,972.99              |
| Summit                      | 318 04 37.18 | 138 08 42.58  | 51,303.78              |
| Rock Mesa                   | 339 37 06.21 | 159 39 28.85  | 57,268.74<br>17,399.63 |
| Sage                        | 342 53 19.04 | 162 53 55.74  | 17,399.63              |

Arizona (408)

Apache County

ROCK

1927 N.A.D. (Adj.)

R.B. Steele, 1937 W.K. Platt, 1955 (n)

Books: D2425-34, PH 388

Located 40 mi by rd. NE. of Chinle Indian School, on SE. end of mesa between Canyon Del Muerto and Black Rock Canyon; 0.3 mi N. of Black Rock Canyon. Station is 75 ft back from edge of rimrock and under a 12-inch pinon tree which was trimmed of all lower limbs and used as signal tree.

To reach from Chinle, drive NE. on Chinle-Wheatfield Rd. 27 mi to Sheep Dip Corral on Tsaile Creek; turn right 0.25 mi and ford Tsaile Creek; thence 3.5 mi to Y-rd. fork; take left hand rd. 0.5 mi to Y-rd. fork; take right hand rd. 0.4 mi to Y-rd. fork; take rd. to right 3.4 mi to Y-rd. fork; take rd. to right 5.5 mi to a hogan and field; leave truck at hogan on right and hike up slope in SW. direction to top of ridge; go left along top to point of mesa and station.

Station mark: Standard tablet stamped "ROCK 1937", cemented in boulder set in ground.

Reference mark No. 1: Standard reference mark tablet stamped "NO 1", cemented in rimrock, 49.21 ft from station mark in azimuth 71°11'.

Reference mark No. 2: Standard reference mark tablet stamped "NO 2", cemented in rimrock, 53.81 ft from station mark in azimuth 340°19'.

Note by W.K.P., 1955: Station recovered but not occupied.

ARIZONA ZONE EAST X= 737,512.23 Y=1,887,065.28 Elevation: None.

| To Station      | Azimuth      | Back Azimuth  | Feet      |
|-----------------|--------------|---------------|-----------|
| New Mexico Hill | 5°29'34.67"  | 185°29'12.80" | 31,783.42 |
| Yata            | 19 05 46.29  | 199 04 55.86  | 21,433.85 |
| Tuly Bia        | 40 37 41.36  | 220 34 20.38  | 42,955.25 |
| Sibasila        | 62 51 41.41  | 242 47 01.44  | 43,746.59 |
| Antelope        | 70 31 13.25  | 250 28 50.50  | 21,035.29 |
| Slim            | 87 29 11.35  | 267 24 11.57  | 41,672.76 |
| Indian          | 120 45 17.62 | 300 43 27.34  | 17,807.66 |
| Seznini (USGS)  | 303 18 19.71 | 123 20 41.26  | 23,539.11 |

O

Arizona (408)

Apache County

SAGE

1927 N.A.D. (Adj.)

W.K. Platt, 1955

Book: PH 388

Located about 10.0 mi SE. of Chinle Post Office between Three Turkey Canyon and Little White House Canyon on a low sage-covered hill.

To reach from Chinle Post Office, follow Chinle-Nazlini Rd. for 4.6 mi to rd. forks; take left fork and follow main-traveled rd. 10.8 mi to station. Station mark is about 300 ft S. of rd. on a sage-covered hill and near a lone juniper tree.

Station mark: Standard tablet stamped "SAGE 1955" cemented in rock.

Reference mark No. 1: Standard reference mark tablet stamped "SAGE 1955 NO 1" cemented in rock, 37.60 ft from station mark in azimuth 129°57'.

Reference mark No. 2: Copper nail and washer set in root of juniper tree, 75.60 ft from station mark in azimuth 213°40'.

ARIZONA ZONE EAST X= 715,054.74 Y=1,837,644.31 V.A. Elevation: 6598 ft

Latitude 36°02'54.374" Longitude 109°26'21.027"

| <u>Azimuth</u> | Back Azimuth                                                                               | Feet                                                                                                                                                                      |
|----------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00956100 0111  | 200952126 6111                                                                             | 07 (00 10                                                                                                                                                                 |
|                | 200,25,50.01.                                                                              | 87,692.19                                                                                                                                                                 |
| 59 18 20.96    | 239 12 49.10                                                                               | 53,957.61                                                                                                                                                                 |
| 98 58 54.26    | 278 52 54.65                                                                               | 50,780.96                                                                                                                                                                 |
| 162 53 55.74   | 342 53 19.04                                                                               | 17,399.63                                                                                                                                                                 |
| 283 09 24.00   | 103 14 02.52                                                                               | 39,939.43                                                                                                                                                                 |
| 306 28 05.38   | 126 31 33.99                                                                               | 36,253.15                                                                                                                                                                 |
| 338 12 12.53   | 158 13 58.46                                                                               | 39,909.79                                                                                                                                                                 |
|                | 20°56'09.91"<br>59 18 20.96<br>98 58 54.26<br>162 53 55.74<br>283 09 24.00<br>306 28 05.38 | 20°56'09.91" 200°52'26.61"<br>59 18 20.96 239 12 49.10<br>98 58 54.26 278 52 54.65<br>162 53 55.74 342 53 19.04<br>283 09 24.00 103 14 02.52<br>306 28 05.38 126 31 33.99 |

FILE BOPY

Arizona (408)

Apache County

SEZNINI (USGS) (C&GS)

1927 N.A.D. (Adj.)

R.B. Steele, 1936 USC&GS, 1951

Books: D 2425-34, PH 114, PH 388

W.L. Settlemeyer, 1955

Recovered by U.S. Coast and Geodetic Survey description list No. 1071, p. 4.

Located about 18 mi E. of Chinle Indian School, 23.0 mi by rd. S. of Lukachukai Post Office. Station is on most northerly one of twin top of Seznini Butte.

To reach from Chinle, drive northeasterly on Chinle-Wheatfield Rd. 27.0 mi to Sheep Dip Corral; turn right and drive as follows: 0.25 mi and ford Tsaile Creek; thence 3.5 mi to Y-rd. forks; take left hand rd. 0.5 mi to Y-rd. fork; take right hand rd. for 0.4 mi to Y-rd. fork; take left hand rd. 1.8 mi to Y-rd. fork; take right hand rd. 0.2 mi to Y-rd. fork; swinging left across draw in 0.1 mi; thence 0.3 mi to Y-rd. fork; take right hand rd. 1.4 mi to X-ing of draw; thence 1.0 mi to X-rds. and hogan; thence straight ahead 0.9 mi to X-ing of draw; thence 0.8 mi to a point on rd. opposite Seznini Butte; turn left and drive through sagebrush toward the butte and into a cove on N. side of butte; hike up N. slope to top of butte and station. (A 45-minute hike)

Station mark: Standard tablet stamped "SEZNINI 1936", cemented in top of butte.

Reference mark No. 1: Standard reference mark tablet stamped "NO 1", cemented in top of butte, 18.65 ft from station mark in azimuth  $46^{\circ}23$ '.

Reference mark No. 2: Standard reference mark tablet stamped "NO 2", cemented in top of butte, 21.10 ft from station mark in azimuth  $187\ 48$ '.

Note by W.L.S., 1955: Station found as described; all marks in good condition.

ARIZONA ZONE EAST

V.A. Elevation: 7618 ft

7621.5 EDVA 78

\*X= 757,291.02 Y=1,874,303.84

\*Latitude 36<sup>0</sup>08'53.472" Longitude 109<sup>0</sup>17'42.715"

| To Station          | Azimuth      | Back Azimuth                         | <u>Feet</u>      |
|---------------------|--------------|--------------------------------------|------------------|
|                     | 0            | 10,0007157 (11)                      | / 5 5 7 0 5 2    |
| Lee                 | 4 38'24.04"  | 184 <sup>0</sup> 37 <b>'</b> 57.61'' | 45,578.52        |
| Summit              | 13 04 35.49  | 193 02 59.19                         | 59,412.58        |
| New Mexico Hill     | 50 33 31.76  | 230 30 48.51                         | 29,430.06        |
| Tuly Bia            | 67 35 59.03  | 247 30 16.73                         | 51,546.04        |
| Yata                | 74 40 54.81  | 254 37 42.95                         | 27,673.26        |
| Sibasila            | 83 11 58.14  | 263 04 56.83                         | 59,023.37        |
| Indian              | 122 14 46.72 | 302 10 34.90                         | 41,336.72        |
| Rock                | 123 20 41.26 | 303 18 19.71                         | 23,539.11        |
| Black Pinn. LO      | 227 05 57.81 | 47 10 52.81                          | 55,849.37        |
| White Cone 2        | 257 13 38.13 | 77 21 10.48                          | 64,430.61        |
| Sonsala (USGS)      | 284 51 15.55 | 104 58 56.66                         | 66,408.4         |
| Fluted Rock (USGS)  | 351 45 16.29 | 171 46 55.08                         | 96,399.5         |
| * = Values by USC&G |              |                                      | 2/21/70 slb Slml |

Arizona (408)

Apache County

SIBASILA

1927 N.A.D. (Adj.)

R.B. Steele, 1937 C. Broome, 1949

Books: PH 114, PH 388, D2425-34

W.K. Platt, 1955

Located 5.0 mi by rd. SE. of Chinle Indian School, on S. side of Chinle-Fort Defiance Rd. Station is on W. edge near N. end of most northerly one of two hills. Car can be driven to station.

Station mark: Standard tablet stamped "SIBASILA 1937", cemented in bedrock.

Reference mark No. 1: Standard reference mark tablet stamped "NO 1 1937", cemented in bedrock, 122.95 ft from station mark in azimuth 223°33'. (Replaced 1949)

Reference mark No. 2: Standard reference mark tablet stamped "NO 2 1937" cemented in bedrock, 154.52 ft from station mark in azimuth 301°48'.

Note by C.B., 1949: Station mark and reference mark No. 2 found as described. Reference mark No. 1 found destroyed and was replaced as follows:

Reference mark No. 1: Standard reference mark tablet stamped "1 1949", cemented in bedrock, 115.93 ft from station mark in azimuth 224°05'39".

Note by W.K.P., 1955: Found as described and all marks found in place.

ARIZONA ZONE EAST X= 698,750.33 Y=1,866,789.53 Elevation: 6178 ft (By Plane table leveling)

Latitude 36°07'43.764" Longitude 109°29'37.116"

| To Station       | Azimuth      | Back Azimuth  | Feet       |
|------------------|--------------|---------------|------------|
| Ganado (C&GS)    | 7°46'40.26"  | 187°44'51.93" | 112,211.35 |
| Snake            | 28 03 01.00  | 207 59 24.22  | 64,391.43  |
| Beautiful (C&GS) | 57 54 28.48  | 237 50 24.05  | 40,202,72  |
| Ridge            | 85 39 26.70  | 265 35 41.05  | 31,493.48  |
| Cone             | 92 52 21.26  | 272 50 04.55  | 19,045.99  |
| Lohali (C&GS)    | 94 08 38.45  | 273 57 11.93  | 95,729.38  |
| Red Mesa         | 104 51 33.73 | 284 46 55.64  | 40,003.73  |
| Chin Lee NEB     | 113 32 59.64 | 293 29 57.96  | 27,554.96  |
| Dog              | 142 08 42.35 | 322 03 26.10  | 71,431.92  |
| West             | 154 48 39,07 | 334 42 27.32  | 120,637.19 |
| Valley           | 157 35 18.36 | 337 32 32.33  | 60,365.02  |
| Slim             | 171 26 35.97 | 351 26 16.35  | 18,327.44  |
| Indian           | 219 02 02.54 | 39 04 52.40   | 37,453.70  |
| Antelope         | 235 48 13.99 | 55 50 31.25   | 23,069.93  |

Arizona (408)

Apache County

YATA

1927 N.A.D. (Adj.)

R.B. Steele, 1937 W.K. Platt, 1955 (N)

Books: D 2425-34, PH 388

Located about 12 mi E. of Chinle Indian School, 4.0 mi NW. of jct. of Monument Canyon with Canyon de Chelly; 500 ft N. of rd. which leads from Sheep Dip Corral to jct. of Canyon Del Muerto and Canyon de Chelly. (This rd. leads between the two main canyons). Station is on low timbered-covered hill locally known as Yata Hill, and is near E. end, apparently the highest point on hill.

To reach from Chinle, drive NE. on Chinle-Wheatfield Rd. 27.0 mi to Sheep Dip Corral; turn right (S.) for 0.25 mi and ford Tsaile Creek; thence 3.5 mi to Y-rd. fork; take left hand rd. 0.5 mi to Y-rd. fork; take right hand rd. 0.4 mi to Y-rd. fork; take left hand rd. 1.8 mi to Y-rd. fork; take right hand rd. 0.2 mi swinging left across draw in 0.1 mi; thence 0.3 mi to Y-rd. fork; take right hand rd. 1.4 mi to crossing of draw; thence 1.0 mi to X-rd. and hogan; go straight ahead 0.9 mi to X-ing of draw; thence 1.1 mi to X-ing of draw W. of Seznini Butte; thence 5.5 mi to Yata Hill.

Note: Standard brass tablet of National Park Service was found cemented in 50-pound boulder and stamped "USDI-NPS". Boulder was in forks of three-pronged pinon tree about 2 ft above ground. Two prongs of tree were cut off and third prong trimmed of all branches and used as signal pole. Tablet was centered under top of signal pole. Boulder was not fastened.

Not Theorem 176

Station mark: Standard tablet centered under top of pole.

Reference mark No. 1: Standard reference mark tablet stamped "YATA NO 1 1937", cemented in rimrock, 96.65 ft from station mark in azimuth 2 25'.

Not Found 12

Reference mark No. 2: Standard reference mark tablet stamped "YATA NO 2 1937", cemented in bedrock,  $80.62~\rm{ft}$  from station mark in azimuth  $148^{\circ}33^{\circ}$ .

Reference mark No. 3: Standard reference mark tablet stamped "YATA NO 3 1937", cemented in boulder, 43.90 ft from station mark in azimuth 242°55'.

Note by W.K.P., 1955: Recovered but not occupied.

ARIZONA ZONE EAST X= 730,668.40 Y=1,866,754.26 V.A. Elevation: 6864 ft

Latitude 36°07'41.053" Longitude 109°23'08.050"

| To Station     | Azimuth      | Back Azimuth               | Feet      |
|----------------|--------------|----------------------------|-----------|
| Tuly Bia       | 59°28'59.37" | 239 <sup>o</sup> 26'28.90" | 24,324.39 |
| Indian         | 164 13 01.21 | 344 12 01.45               | 30,508.78 |
| Rock           | 199 04 55.86 | 19 05 46.29                | 21,433.85 |
| Seznini (C&GS) | 254 37 42.95 | 74 40 54.81                | 27,673.26 |