

THIRD-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

OFFICE COPY HOLD

41-073-34
WEST POINT QUADRANGLE
27 NEW YORK
N4115-W7345/15
DIAGRAM NK 18-9
HARTFORD

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


Dutchess, Orange, Putnam, Rockland,
and Westchester Counties

Final adjustment of 1975

Edition of 1/7/75

PR: DSW/sws

POUGHKEEPSIE
(33)



SCHUNEMUNK
(28)

CARMEL
(26 N.Y.-12 CONN.)

TARRYTOWN
(21)

NGS (USC&GS) VERTICAL CONTROL DATA

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
R 22 1926	3	BC 20 1934 259	8,10
R 23 RESET 1945	3	BC 21 1934 615	8
R 32 1926 179	3	BC 22 1934 960	9
TT 22 K 1932	4	BC 23 1934 540	9,10
TT 23 K 1932	4	BC 24 1934 692	9,11
TT 25 K 1932	3	BC 25 1934 300	9
TT 26 K 1932	4	BC 26 1934 417	10,12
BC 7 1934 924	4	BC 27 1934 630	10
BC 8 1934 1119	5,5	RESET 1943 (BC 29 1934 433)	11
BC 9 1934 375	5	BC 30 1934 506	11
BC 13 1934 944	6	BC 31 1934 377	12
BC 14 1934 454	6	BC 32 1934 327	12
BC 16 1934 611	6,8		
BC 17 1934 766	7	<u>NGS</u>	
BC 18 1934 881	7		
BC 19 1934 953	7,8	L 45 1934	8

ISOLATED BENCH MARKS (By M. A. Roudabush, 1926; Book B2433)

Feet

Storm King Mountain, 8 ft W. of, and 4.0 ft higher than edge of hwy.; on shelf; in rock cut; standard tablet stamped "R 22 1926" 383.238

FOUND AS DESCRIBED - 9/92 *Reported 0.7 ft Error in elevation?*

West Point; in S. end of meridian line on Parade Grounds; 250 ft E. of Central Avenue; 350 ft W. of Memorial Hall; 10 ft N. of tennis court 5" 160.224

Bear Mo ledge *Reported by W.R.D. 9/92 that* 178.116

BM is \approx .7 ft in error

By J. C

U.E., I pump 210 f under wharf

BM "R 22 1926"

11 in

7.24

U.E., To 37; 2

8.57

LINE 2.

By J. C. McGuire and J. A. Anderson, 1932; Book B4286

U.E., Peekskill; on W. side of station; on SW. corner of stone sill of door on S. side of ticket office; chiseled cross (NGS B.M. 4 "V O PEEKSKILL") 9.964

U.E., Peekskill; on N. side of main (E.) entrance to freight house on W. and S. part of Center Dock; on smooth part of concrete door-sill; 0.1 ft W. of E. (rough) edge of sill; 8 ft N. of N. face of foundation of office adjoining freight house; chiseled cross (U.S. Engineering Department B.M. "I 27") 5.539

Peekskill, 192 ft N. and 62 ft E. of intersection of Washington Street and Hudson Avenue; at NE. corner of entrance to school building; in vertical face of stone wall; about 5 ft above sidewalk; standard tablet stamped "TT 25 K 1932" 150.595

LINE 3.

By J. A. Anderson, 1932; Book B4279

U.E., Peekskill; at NW. corner of Maple and Hudson Avenues; at N. end of return; on curb; chiseled square 352.92

LINE 3 (Cont'd.)Feet

Pleasantide, 0.6 mi SE. of; 1.0 mi SE. of Peekskill E. village limits, along Furnace Wood Road; 57 ft S. and 61 ft E. of intersection with Maple Avenue; in rock outcrop about 8 ft above rd.; standard tablet stamped "TT 26 K 1932"	314.972
Reference mark; on W. side of rd.; NE. corner of culvert	310.12
U.E., Pleasantide, 2.5 mi SE. of; at corner of N.-S. rd. and Furnace Dock Road; 50 ft N. of Furnace Dock Road; at NW. corner of concrete curb on E. side of crossroad; on concrete culvert; chiseled square	339.59
Peekskill, 5.5 mi SE. of Washington Street; 0.8 mi E. of Dickerson triangulation station; on N. side of New Croton Reservoir; 125 ft S. and 180 ft W. of junction of Baptist Church Road and Croton Avenue; in rock ledge; standard tablet stamped "TT 23 K 1932"	216.425
Reference mark No. 1; 200 ft SW. of tablet; 5 ft N. of rd.; on natural ledge of rock; chiseled square	213.28

LINE 4.

By J. A. Anderson, 1932; Book B4279

Dickerson triangulation station, 0.7 mi W. of; 0.2 mi NE. of Blue Mountain House; 52 ft S. and 112 ft W. of intersection of Furnace Dock and Furnace Wood Roads; in rock outcrop about 4 ft above ground; standard tablet stamped "TT 22 K 1932"	304.407
Reference mark No. 1; 200 ft SW. of tablet; 250 ft NW. of Valeria Home; 30 ft W. of rd.; on ledge; chiseled square	293.02

LINE 5.

By B. B. Chamblin, 1934; Book B5583

U.E., Fishkill, 3.9 mi S. of; 45 ft N. and 25 ft E. of centerline of crossroads; on SE. wingwall of concrete bridge; chiseled square	273.36
U.E., Fishkill, 3.9 mi S. of, thence 0.8 mi E.; 12 ft S. of centerline of rd. opposite barn; on large rock; chiseled square	736.50
U.E., Fishkill, 3.9 mi S. of, thence 1.4 mi E.; 35 ft S. and 15 ft E. of intersection of private rd. S.; about 75 ft NW. of residence; in rock ledge; standard tablet stamped "BC 7 1934 924"	923.461
U.E., Fishkill, 3.9 mi S. of, thence 2.3 mi E.; 10 ft N. of centerline of rd. opposite intersection of dim rd. S.; on flat rock; chiseled square	1088.19

LINE 5 (Cont'd.)Feet

U.E., Fishkill, 3.9 mi S. of, thence 3.1 mi E.; 15 ft N. of rd.; 70 ft E. of intersection of dim rd. N.; on flat rock; chiseled square	1165.50
Fishkill, 3.9 mi S. of, thence 3.8 mi E.; 6.1 mi SW. of Shenandoah; 10 ft N. and 60 ft E. of intersection of rd. N.; in rock ledge; standard tablet stamped "BC 8 1934 1119"	1118.509
Reference mark; 70 ft E. of tablet; on N. edge of rd.; on flat rock; chiseled square	1112.31
U.E., Shenandoah, 5.04 mi SW. of; 12 ft N. of centerline of rd.; 45 ft W. of intersection of dim rd. N.; on flat rock; chiseled square	1078.37
U.E., Shenandoah, 4.1 mi SW. of; 16 ft N. of centerline of rd. near large oak tree; on flat rock; chiseled square	606.04
Shenandoah, 3.4 mi SW. of; 75 ft N. and 25 ft E. of intersection of rd. N.; on N. edge of Wiccopee Creek; 20 ft NE. of NE. corner of wooden bridge; in large boulder; standard tablet stamped "BC 9 1934 375"	374.683
Reference mark; 200 ft E. of tablet; on NE. abutment of wooden bridge over small creek; chiseled square	371.03
U.E., Shenandoah, 2.2 mi SW. of; 10 ft S. and 45 ft E. of intersection of rd. E.; on SE. abutment of concrete culvert; chiseled square (Destroyed, 1965)	383.51
U.E., Shenandoah, 1.6 mi SW. of; 2.9 mi S. of E. Fishkill (Gayhead); 12 ft N. and 20 ft E. of intersection of rd. N. opposite concrete barn; on flat rock; chiseled square (this is an old bench mark)	424.11

LINE 6.

By B. B. Chamblin, 1934; Book B5583

"BC 8 1934 1119" (Described in line 5)	1118.509
U.E., McKeel Corners, 5.7 mi NE. of; 7.0 mi SW. of Shenandoah; 45 ft N. and 15 ft E. of intersection of private rd. E.; 40 ft E. of S. end of dwelling; on large rock ledge; chiseled square	904.99
U.E., Camp Wiccopee, 0.4 mi N. of; 15 ft N. and 15 ft E. of intersection of trail E.; on flat rock; chiseled square	968.50
U.E., Camp Wiccopee, 0.4 mi S. of; 10 ft E. of trail; 25 ft W. of S. end of large rock ledge; on large rock; chiseled square	1024.73
U.E., Camp Wiccopee, 1.4 mi S. of; on W. edge of trail; at intersection of trail SW.; on large flat rock; chiseled square	905.75

LINE 6 (Cont'd.)

	<u>Feet</u>
Camp Wiccopee, 2.2 mi S. of; 3.2 mi NE. of McKeel Corners; 20 ft W. of rd.; in NE. corner of cement cover of deep well of Mr. E. B. Perkins; standard tablet stamped "BC 13 1934 944"	943.699
Reference mark; 65 ft S. of tablet; 20 ft W. of rd.; on large point rock; chiseled square	940.61
U.E., McKeel Corners, 2.2 mi NE. of; 50 ft N. of intersection of dim rd. N.; 22 ft E. of centerline of rd.; on large rock; chiseled square	711.91
U.E., McKeel Corners, 1.4 mi NE. of; 12 ft S. and 22 ft E. of gate entrance to Glynwood Farm of E. B. Perkins; on E. end of S. stone headwall of culvert; chiseled square	617.350
U.E., McKeel Corners, 0.6 mi E. of; 15 ft S. of centerline of rd.; on E. end of headwall of culvert; chiseled square	500.64
McKeel Corners, about 3.0 mi E. of Cold Spring; 27 ft E. of centerline of rd.; 5 ft E. of cement wall in private yard; in concrete wall; standard tablet stamped "BC 14 1934 454" (Reported not found, 1966)	453.995
Reference mark; 90 ft W. of tablet; in SW. angle of intersection of rd. W.; on W. end of S. headwall of culvert; chiseled square	451.90
U.E., Cold Spring, 2.0 mi E. of; 20 ft N. and 65 ft W. of intersection of rd. N.; 45 ft E. of intersection of private rd. S.; on large rock; chiseled square	420.78
U.E., Cold Spring, 1.0 mi E. of; 33 ft N. of centerline of rd.; opposite intersection of rd. S. to Garrison; on cement walk at base of steps to store; chiseled square	198.19

LINE 7.

By B. B. Chamblin, 1934; Book B5583

U.E., Farmers Mills, 1.9 mi S. of; in center of triangle formed by intersection of rd. E.; on rock ledge; chiseled square	599.55
U.E., Farmers Mills, 1.9 mi S. of, thence 0.8 mi W.; 1.2 mi N. of Kent Cliffs; on E. edge of rd. at intersection of rd. SE.; on large rock; chiseled square	604.70
U.E., Kent Cliffs, 0.3 mi N. of; 22 ft W. of centerline of rd.; 75 ft NE. of First Kent Baptist Church; on pointed rock; chiseled square	603.46
Kent Cliffs, about 80 ft S. of post office; in SW. angle of rd. intersection; in large rock; standard tablet stamped "BC 16 1934 611"	610.757

LINE 7 (Cont'd.)Feet

Reference mark; 25 ft W. of tablet; 20 ft S. of centerline of rd.; on large rock; chiseled square	616.56
U.E., Kent Cliffs, 0.9 mi W. of; 35 ft N. and 10 ft W. of intersection of rd. N.; on rock ledge; chiseled square	835.64
U.E., Kent Cliffs, 1.7 mi W. of; 12 ft N. of centerline of rd.; on W. end of dam; on large rock; chiseled square	817.47
U.E., Kent Cliffs, 2.4 mi W. of; 26 ft N. of centerline of rd.; 35 ft S. of foundation of old house; on large rock; chiseled square	988.99
U.E., Kent Cliffs, 3.4 mi SW. of; 28 ft S. of centerline of rd.; 0.3 mi E. of deserted house; on rock ledge; chiseled square	821.75
Kent Cliffs, 3.8 mi SW. of; 15 ft N. of centerline of rd.; 30 ft W. of intersection of dim rd. N.; in rock ledge; standard tablet stamped "BC 17 1934 766"	765.972
Reference mark; 50 ft W. of tablet; 10 ft N. of centerline of rd.; on pointed rock; about 4 ft above level of rd.; chiseled square	765.87
U.E., Kent Cliffs, 4.6 mi SW. of; 36 ft N. and 18 ft W. of intersection of rd. N.; about 6 ft higher than rd.; on large rock; chiseled square	760.50
U.E., Kent Cliffs, 5.7 mi SW. of; 30 ft S. and 50 ft E. of intersection of old rd. and bridle path; on flat rock; chiseled square	875.04
U.E., Kent Cliffs, 6.5 mi SW. of; 20 ft SW. of intersection of old rd. and bridle path; on flat rock; chiseled square	785.70
Kent Cliffs, 7.0 mi SW. of; 60 ft S. of intersection of rd. N.; in rock ledge; standard tablet stamped "BC 18 1934 881"	880.471
Reference mark; 50 ft NW. of tablet; 10 ft S. of centerline of rd.; 40 ft W. of intersection of rd.; on rock; chiseled square	870.49
U.E., Kent Cliffs, 8.0 mi SW. of; 16 ft N. of centerline of rd.; 10 ft W. of intersection of rd. N.; on large rock; chiseled square	806.32
U.E., Kent Cliffs, 8.3 mi SW. of; 1.9 mi E., thence 1.0 mi S. of Dennytown School; 15 ft N. and 15 ft W. of intersection of rd. S.; on large rock; chiseled square	715.10
U.E., Dennytown School, 0.9 mi E. of; on NE. corner of concrete bridge over Conopus Creek; chiseled square	819.73
Dennytown School, 0.2 mi S. of; 40 ft N. and 27 ft E. of intersection of rd. E.; in rock ledge; standard tablet stamped "BC 19 1934 953"	953.019

LINE 7 (Cont 'd.)Feet

Reference mark; 85 ft N. of tablet; 22 ft E. of centerline of rd.; in root of 12-in. oak tree; copper nail and washer 943.60

U.E., McKeel Corners, 1.8 mi E. of; 10 ft S. of centerline of rd.; 80 ft E. of dwelling; about 100 ft E. of lake; on E. end of S. stone headwall of culvert; chiseled square 709.92

LINE 8.

By B. B. Chamblin, 1934; Book B5612

"BC 19 1934 953" (Described in line 7) 953.019

U.E., Dennytown School, 0.9 mi S. of; 20 ft W. of centerline of rd. opposite intersection of private rd. E. to Allen Dewey; on flat rock; chiseled square 661.95

U.E., Dennytown School, 2.8 mi S. of; 20 ft N. and 50 ft E. of intersection of rd. E.; on NW. corner of concrete bridge over Sprout Creek; chiseled square 289.34

Dennytown School, 3.2 mi S. of; 1.6 mi E. of Travis Corners; 40 ft S. and 30 ft W. of intersection of rd. W.; in rock ledge; standard tablet stamped "BC 20 1934 259" 258.554

Reference mark; 60 ft W. of intersection of rd.; in W. corner of triangle formed by junction of rd.; on rock ledge; chiseled square 265.45

Travis Corners, 1.0 mi W. of; 2.6 mi E. of Garrison station; 700 ft W. of crossroads; at Garrison Inn; 175 ft W. of S. Highlands Church; 65 ft S. of centerline of rd.; in rock ledge; standard tablet stamped "BC 21 1934 615" 615.256

Reference mark; 50 ft W. of tablet; 50 ft S. of centerline of rd.; on large rock; chiseled square 609.51

U.E., Garrison Station, 1.7 mi E. of; 50 ft W. of crossroads; on NW. corner of concrete bridge over small creek; chiseled square 371.36

U.E., Garrison Station, 0.5 mi E. of; 25 ft N. and 37 ft W. of intersection of rd. W.; on S. end of stone wall; chiseled square 162.67

"L 45 1934" (NGS) 21.184

LINE 9.

By B. B. Chamblin, 1934; Book B5612

"BC 16 1934 611" (Described in line 7) 610.757

U.E., Kent Cliffs, 0.7 mi S. of; 10 ft N. and 30 ft W. of inter-

LINE 9 (Cont'd.)Feet

Kent Cliffs, 3.3 mi S. of; 2.9 mi N. of Mahopac Falls; 220 ft S. and 65 ft W. of intersection of rd. W.; 40 ft S. of barn; in rock ledge; standard tablet stamped "BC 22 1934 960"	959.625
Reference mark; 90 ft S. of tablet; 75 ft W. of rd.; on W. side of stone fence; on flat rock; chiseled square	949.000
U.E., Mahopac Falls, 0.6 mi N. of; 18 ft W. of centerline of rd.; opposite intersection of private rd. E.; on rock; chiseled square	645.63
Mahopac Falls, 40 ft N. and 30 ft E. of junction of rd. N.; 25 ft N. of concrete bridge; 15 ft W. of ditch; in concrete post; standard tablet stamped "BC 23 1934 540"	540.018
U.E., Mahopac Falls, 1.8 mi W. of; 50 ft S. and 25 ft W. of intersection of rd. S. (Abele Lane); on rock ledge; chiseled square	570.27
Mahopac Falls, 2.5 mi W. of; 33 ft N. of intersection of rd. E.; 100 ft S. of intersection of rd. W.; 65 ft E. of centerline of rd.; about 100 ft S. of residence; in concrete post; standard tablet stamped "BC 24 1934 692"	692.159
Reference mark; 65 ft W. of tablet; in triangle formed by intersection of rd. E.; in root on S. side of 36-in. maple tree; copper nail and washer	693.14
U.E., Mahopac Falls, 3.0 mi W. of; 30 ft S. and 14 ft W. of intersection of rd. S. to shrub oak tree; on rock ledge; chiseled square	693.56
U.E., Adams Corners, 2.2 mi NE. of; 15 ft S. and 65 ft W. of intersection of rd. N.; 40 ft S. of waterfalls; on SE. corner of S. headwall of culvert; chiseled square	311.98
Adams Corners, 1.9 mi NE. of; 165 ft W. of intersection of private rd. NW.; 200 ft NW. of concrete bridge over Peekskill Hollow Creek; in large rock; standard tablet stamped "BC 25 1934 300"	299.396
Reference mark; 100 ft E. of tablet; on W. edge of private rd.; 85 ft N. of intersection of rd.; in root of 24-in. maple tree; copper nail and washer	297.34
U.E., Adams Corners, 0.9 mi NE. of; 15 ft S. and 100 ft E. of intersection of private rd. S.; on rock ledge; chiseled square	291.58
U.E., Adams Corners, 22 ft S. and 50 ft W. of intersection of rd. S.; 50 ft E. of intersection of rd. N.; on rock ledge; chiseled square	253.61
U.E., Adams Corners, 0.6 mi NW. of; 45 ft N. and 27 ft W. of intersection of rd. W. (Dramers Pond Road); 21 ft E. of springhouse:	

LINE 9 (Cont'd.)Feet

U.E., Adams Corners, 1.2 mi NW. of; 0.8 mi E. of Oscawana; 70 ft N. and 20 ft E. of intersection of rd. SW.; on rock ledge; chiseled square	457.08
Oscawana Corners, 35 ft N. of centerline of rd.; 85 ft E. of Conopus M. E. Church; about 800 ft E. of crossroads; in large rock; standard tablet stamped "BC 26 1934 417"	416.343
Reference mark; 70 ft W. of tablet; 75 ft N. of centerline of rd.; 25 ft E. of NE. corner of church; in root on S. side of 26-in. maple tree; copper nail and washer	412.46
U.E., Oscawana Corners, 0.7 mi NW. of; 15 ft E. of rd.; at top of hill; at sharp curve; on rock ledge; chiseled square	430.41
U.E., Oscawana Corners, 1.3 mi NW of; 120 ft W. of intersection of rd. W.; on SE. corner of concrete bridge over Conopus Creek; chiseled square	241.69
"BC 20 1934 259" (Described in line 8)	258.554

LINE 10.

By B. B. Chamblin, 1934; Book B5612

"BC 23 1934 540" (Described in line 9)	540.018
U.E., Mahopac Falls, 1.1 mi S. of; 120 ft E. of intersection of rd. E.; on NW. corner of small concrete bridge; chiseled square	566.92
Baldwin Place, 70 ft N. of New York Central Railroad Station; 30 ft W. of center of tracks; 300 ft N. of grade crossing; 2 ft E. of W. right-of-way fence; in rock ledge; standard tablet stamped "BC 27 1934 630"	629.854
Reference mark; 30 ft W. of W. RR. track; 23 ft N. of centerline of rd.; at S. end of high board fence; on rock ledge; chiseled square	624.58

LINE 11.

By B. B. Chamblin, 1934; Book B5612

U.E., Baldwin Place, 4.1 mi S. of; 15 ft W. of centerline of rd.; 110 ft N. of private drive W.; in rock cliff; chiseled square	438.95
---------------------------------------------------------------------------------------------------------------------------------	--------

WEST POINT QUADRANGLE
Book B5612

27 NEW YORK

B. B. Chamblin

41-073-34

11

1934

LINE 12.

Feet

By B. B. Chamblin, 1934; Book B5612

"BC 24 1934 692" (Described in line 9) 692.159

U.E., Mahopac Falls, 2.5 mi W. of, thence 1.1 mi S.; 1.6 mi N. of
Jefferson Valley; 40 ft N. and 35 ft W. of intersection of private
rd. W.; on rock outcrop; chiseled square 751.56

U.E., Jefferson Valley, 20 ft N. and 15 ft W. of intersection of rd.
N.; on W. end of N. concrete headwall of culvert; chiseled square
(Tied by NGS, 1935) 444.542

U.E., Jefferson Valley, 0.6 mi W. of; 22 ft S. of centerline of rd.;
60 ft W. of intersection of rd. NE.; 165 ft E. of intersection of
rd. N. (Indian Hill Road); on W. end of S. concrete headwall of
culvert; chiseled square 436.17

Jefferson Valley, 1.1 mi W. of; 30 ft S. and 25 ft E. of crossroads;
425 ft E. of E. limits of shrub oak; in concrete post; standard
tablet stamped "RESET 1943" (Replaces "BC 29 1934 433", tied by
NGS, 1935) 428.434

Reference mark; 45 ft E. of tablet; 30 ft S. of centerline of rd.;
in root on W. side of 48-in. maple tree; copper nail and washer 425.96

NOTE: Line unadjusted from here to "TT 18 K 1932" due to large error.
Do not use for 3rd order control.

U.E., Jefferson Valley, 1.1 mi W. of, thence 1.1 mi S.; 60 ft N. and
20 ft W. of intersection of private rd. W.; on rock ledge; chiseled
square 499.80

U.E., Yorktown, 25 ft S. and 20 ft W. of centerline of crossroads;
200 ft E. of Presbyterian Church; on W. end of headwall of culvert;
chiseled square 501.830

Yorktown, 0.6 mi SE. of; 150 ft N. and 45 ft E. of intersection of
rd. NE.; in concrete post; standard tablet stamped "BC 30 1934 506" 505.681

Reference mark; 70 ft N. and 35 ft W. of intersection of rd.; on rock
outcrop; chiseled square 506.664

U.E., Yorktown, 1.7 mi SE. of; at W. edge of Yorktown Heights; 25 ft
S. and 70 ft E. of intersection of rd. S.; on lowest of concrete
steps of residence; chiseled square 506.793

U.E., Yorktown, 1.8 mi SE. of, thence 0.8 mi SW.; 20 ft W. of center-
line of rd. opposite intersection of private rd. E.; 250 ft S. of
intersection of rd. W.; on rock; chiseled square 484.198

LINE 12 (Cont'd.)Feet

U.E., Yorktown, 1.7 mi SE. of, thence 1.5 mi SW.; 475 ft SW. of intersection of rd. W.; 185 ft NE. of entrance to French Hill Estate; 15 ft W. of centerline of rd.; on large rock ledge; chiseled square 517.038

LINE 13.

By B. B. Chamblin, 1934; Books B5612-13

"BC 26 1934 417" (Described in line 9) 416.343

U.E., Putnam Valley, 100 ft N. of Putnam-Westchester County line; 45 ft S. and 15 ft W. of intersection of rd. E.; on NW. corner of concrete bridge over Peekskill Hollow Creek; chiseled square 116.84

Putnam Valley, 0.5 mi S. of, thence 0.6 mi E.; 0.7 mi N., thence 0.2 mi W. of Lake Mohegan; 40 ft S. of centerline of rd.; 12 ft S. of bars; at base of W. edge of stone fence; in rock outcrop; standard tablet stamped "BC 31 1934 377" 376.586

Reference mark; 200 ft E. of tablet; 20 ft S. of centerline of rd.; in base rock of stone wall around barn lot; chiseled square 379.72

Lake Mohegan, 1.9 mi S. of; 30 ft S. and 185 ft W. of intersection of rd. N. (Lexington Avenue); in triangle formed by intersection of rd. SE.; in concrete post; standard tablet stamped "BC 32 1934 327" (Reported not found, 1956) 327.168

Reference mark; 200 ft W. of tablet; 25 ft N. of centerline of rd.; on E. end of headwall of culvert; chiseled square 324.72

U.E., Lake Mohegan, 1.9 mi S. of, thence 0.7 mi W.; about 3.0 mi E. of Peekskill; 60 ft S. and 20 ft W. of crossroads; on rock outcrop; chiseled square 399.28