



INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
C 81 PA 1921 1591 PTS NO 10 Y 1925	3	15 DSW 1963 1454	6
C 82 PA 1921 1731	3	16 DSW 1963 1507	7
C 83 PA 1921 1607 PTS NO 8 Y 1925	3	22 DSW 1963 1276	7
C 84 PA 1921 1198 PTS NO 2 Y 1925	3	26 DSW 1963 1217	8
C 68 PA 1924 PTS NO 18 Y 1925	7	27 DSW 1963 1319	8
PTS NO 1 Y 1925 RESET 1945	5,9		
PTS NO 4 Y 1925 1356	4		
PTS NO 5 Y 1925	3		
PTS NO 6 Y 1925 1416	3	<u>PDH</u>	
PTS NO 7 Y 1925 1463	3	NOT STAMPED (1022.466)	3
PTS NO 15 Y 1925	3	4 DSW 1963 USGS	5,8
PTS NO 16 Y 1925 1363	3	7 DSW 1963 USGS	5
PTS NO 17 Y 1925 1315	7	8 DSW 1963 USGS	6
R 25 1925	3	9 DSW 1963 USGS	6
R 26 1925 1276	3	14 DSW 1963 USGS	6
R 27 1925 1320	3	50 DSW 1963 USGS	9
R 28 1925 1299	3	51 DSW 1963 USGS	9
R 29 1925	4		
R 30 1925 707	4	<u>NGS</u>	
R 31 1925 1308	4		
TT STA NO 10 J 1926 RESET 1954	3		
1 DSW 1963 1200	4	V 234 1959 LY 1172	4
2 DSW 1963 1372	4	S 235 1959 LY 1180	6
3 DSW 1963 1204	4	W 235 1959 LY 1231	5
5 DSW 1963 1190	5	S 236 1959 LY 1180	7
6 DSW 1963 1321	5	U 236 1959 LY 1182	7
13 DSW 1963 1497	6		

HF 11/1/03  
 Good photos

HAWLEY  
Books B 1170, B 1940 and B 2131

PENNSYLVANIA

41-075-21  
R. G. Clinite, 1921  
M. A. Roudabush, 1929

	<u>Feet</u>
ISOLATED BENCH MARKS (By R. G. Clinite, 1921; Books B 1170 and B 1940, M. A. Roudabush, 1929; Book B 2131)	
Romerville School, 0.3 mi NE. of; 80 ft SE. of rd. forks; 90 ft S. of residence of Edward Olssonner; in rock in place; standard tablet stamped "C 81 PA 1921 1581 PRIM TRAV STA NO 10 Y 1925"	1581.572
Promised Land Pond; in NE. end of E. wingwall of bridge over outlet of pond; in concrete coping; standard tablet stamped "C 82 PA 1921 1731"	1730.827
Promised Land Pond, 3.8 mi N. of; 90 ft N. of rd. forks; on E. side of rd.; in rock in place; standard tablet stamped "C 83 PA 1921 1607 PRIM TRAV STA NO 8 Y 1925"	1607.102
Tafton, 1.6 mi N. of; 0.11 mi N. of junction of hwy.; on SE. shore of Lake Wallenpaupack; in wooded pasture; in rock in place; standard tablet stamped "C 84 PA 1921 1193 PRIM TRAV STA NO 2 Y 1925"	1193.294
Blooming Grove, 0.5 mi NW. of; 65 ft W. of rd. forks; 55 ft S. of house; at S. edge of yard; in rock outcrop; standard tablet stamped "PRIM TRAV STA NO 7 Y 1925 1463"	1462.849
Blooming Grove, 1.8 mi E. of; 170 ft E. of T-rd. S.; 105 ft NE. of N. corner of stone church; in large projecting rock; standard tablet stamped "PRIM TRAV STA NO 6 Y 1925 1416"	1415.996
"R 25 1925" (Destroyed, 1978)	1303.127
Lords Valley; 137 ft S. of crossroad; at E. edge of rd.; in top of large projecting rock; standard tablet stamped "PRIM TRAV STA NO 5 Y 1925" (Reported destroyed, 1949)	1299.830
Greeley, 2.0 mi SW. of; 12.0 mi SE. of Hawley; 12.0 mi NW. of Milford; 150 ft SE. of T-rd. to Greeley; 50 ft S. of residence of C. R. Rosecrance; in concrete well curb near old Milford Road; standard tablet stamped "R 26 1925 1276"	1275.893
Hawley, 4.3 mi SE. of; 150 ft SE. of rd. NE. to Kimble; near NW. corner of Blooming Grove Township; in S. end of W. abutment of concrete hwy. bridge; Pennsylvania Department of Highways standard disk not stamped	1022.466
Hawley, 5.4 mi SE. of; 0.14 mi SE. of junction of old T-rd.; 3.0 mi N. of Blooming Grove; near SW. corner of Lackawaxen Township; on S. end of W. abutment of concrete culvert at station 806; standard tablet stamped "R 28 1925 1299"	1298.760
Hawley, 8.8 mi SE. of; 3.0 mi N. of Lords Valley; 0.3 mi W. of Germantown Church, along U. S. Highway 6; 79 ft NE. of rd. intersection; 7 ft E. of rd. N.; 3 ft W. of corner of stone wall; in ledge of rock in stream bed; standard tablet stamped "R 27 1925 1320"	1320.026
Blooming Grove School, 3.0 mi S. of; 3.5 mi NW. of Pecks Pond, along State Highway 220; 59 ft N. of N. end of bridge over Shohola Creek; 38 ft E. of centerline of hwy.; in large flat rock; standard tablet stamped "PRIM TRAV STA NO 15 Y 1925"	1438.921
Pecks Pond, 1.0 mi N. of outlet; at Holiday's boat landing; 45 ft NE. of rd. at curve around ridge; 12 ft from edge of water; in flat rock; standard tablet stamped "PRIM TRAV STA NO 16 Y 1925 1363"	1362.625
Uswick, 0.8 mi N. of, 60 ft E. of Main residence, 20 ft NE. of crossroads, in large boulder; standard tablet stamped "TT NO 10 J 1926"	1474.565
Reference mark, 40 ft N. of tablet, on boulder, chiseled square, "TT NO 10 J 1926"	1474.02

HAWLEY  
Books B 1170, B 1940 and B 2131

PENNSYLVANIA

41-075-21  
R. G. Clinite, 1921  
M. A. Roudabush, 1929

ISOLATED BENCH MARKS (Cont'd.)

Feet

Lords Valley, 3.0 mi SE. of; 340 ft NW. of private rd. NE.; about midway between two small culverts; on NE. side of rd.; in large rock in place; standard tablet stamped "PRIM TRAV STA NO 4 Y 1925 1356"	1355.514
Lackawaxen, 2.9 mi S. of; 0.8 mi N. of Greeley School; 300 ft NW. of Pine Tree Cottage; 15 ft W. of centerline of hwy.; in high ledge of rock; standard tablet stamped "R 29 1925"	1327.653
Rowlands; 280 ft W. of state hwy.; 25 ft N. of old canal basin; in W. end of bottom stone step to lawn of Rowlands Inn; standard tablet stamped "R 30 1925 707"	707.310
Paupack Church, 0.5 mi SW. of; about 1.0 mi N. of South Paupack Post Office; 150 ft E. of I-rd. NW.; 40 ft S. of hwy.; at W. entrance to residence of Joseph K. Slocum; in NE. corner of cement platform at foot of porch steps; standard tablet stamped "R 31 1925 1308"	1307.819

LINE 1.

D. S. Wright, 1963; Book AV 1302

1 6 0.73 "V 234 1959" (NGS)	1742.305
1 12 3.50 Hawley, 9.4 mi SW. of, along U. S. Highway 6 and State Highway 507; 150 ft NW. of rd. fork SE.; 30 ft W. of centerline of rd.; in NW. end of concrete culvert over Mill Brook; standard tablet stamped "1 DSW 1963 1200"	1200.199
1 13 3.52 Reference mark; 22 ft S. of tablet; on SW. end of concrete culvert; chiseled square	1200.12
1 17 5.53 Reference mark; 14 ft SE. of tablet; on NE. corner of bottom step of entrance to schoolhouse; chiseled square	1369.62
1 18 5.53 Hawley, 7.0 mi SW. of, along U. S. Highway 6 and State Highway 507 to Paupack Grade School; 47 ft NW. of centerline of rd.; in SW. corner of concrete porch of school; standard tablet stamped "2 DSW 1963 1372"	1372.236
1 21 6.99 U.E., 15 ft W. of, and about 1 ft lower than center of bridge; on NW. wingwall of small bridge over drain; chiseled square	1200.02
1 23 8.13 U.E., 15 ft NW. of, and about 1 ft lower than centerline of rd.; on NW. corner of headwall of bridge over small creek; chiseled square	1200.30
1 24 8.65 Reference mark; 14 ft N. of, and 3 ft lower than tablet; on NW. corner of headwall of bridge over small drain; chiseled square	1201.44
1 25 8.68 Hawley, about 3.0 mi S. of, along U. S. Highway 6, thence 1.5 mi SE. along State Highway 507; 100 ft S. of drive W. to "Sealeys Landing"; 12 ft W. of, and 3 ft higher than centerline of rd.; in top of SW. headwall of bridge over Diamond Creek; standard tablet stamped "3 DSW 1963 1204"	1204.150

5  
HAWLEY  
Book AV 1302

PENNSYLVANIA

41-075-21  
D. S. Wright

1963

LINE 1 (Cont'd.)

Feet

1	31	11.03	Hawley, 1.0 mi SW. of, along U. S. Highway 6; about 350 ft S. of junction of Highway 6 and State Highway 593; 33 ft W. of, and about 1 ft higher than centerline of rd.; in SW. wingwall of bridge over Wallenpaupack Creek; PDH standard disk stamped "4 DSW 1963 USGS"	1158.312
1	32	11.58	U.E., 55 ft S. of private drive SW.; 14 ft W. of, and about 3 ft lower than centerline of rd.; on NW. end of concrete culvert; chiseled square	1116.28
1	34	12.45	Hawley; near E. end of town; in SE. guardwall of E. abutment of steel hwy. bridge over Lackawaxen River; standard tablet stamped "PRIM TRAV STA NO 1 Y 1925 RESET 1945"	896.021

LINE 2.

D. S. Wright, 1963; Book AV 1302

1	36	0.00	"W 235 1959" (NGS)	1298.961	book 210103
1	37	0.95	U.E., 15 ft N. of, and about 3 ft lower than centerline of rd.; on NW. corner of concrete culvert; chiseled square	1291.23	
1	39	1.38	Reference mark; 15 ft N. of, and level with tablet; on NW. end of wingwall of bridge over Grove Creek; chiseled square	1189.76	
1	40	1.89	Hawley, 6.3 mi SE. of, along U. S. Highway 6; 21 ft S. of, and 0.5 ft lower than centerline of rd.; in SW. wingwall of bridge over Grove Creek; standard tablet stamped "5 DSW 1963 1190"	1189.826	
1	42	3.05	U.E., 28 ft S. of centerline of rd.; on SE. corner of L-shaped concrete culvert; chiseled square	1343.45	
1	43	3.54	Reference mark; 4 ft E. of tablet; on NW. end of concrete culvert; chiseled square	1321.23	
1	44	3.54	Germantown; 61 ft N. of, and about 4 ft lower than junction of U. S. Highway 6 and rd. fork S. leading to "Lords Valley"; in middle of concrete culvert over Burchards Creek; standard tablet stamped "6 DSW 1963 1321"	1321.237	
1	46	4.56	U.E., 40 ft S. of centerline of rd.; on SW. corner of ESSO gas pumps base; chiseled square	1382.27	
1	47	4.95	U.E., 18 ft N. of centerline of rd.; on NW. corner of concrete headwall of bridge over small creek; chiseled square	1255.48	
1	48	5.62	Germantown, 2.0 mi SE. of, along U. S. Highway 6 to Y-rd. forks; SW. of centerline of rd. fork NE.; 13 ft SW. of, and 1 ft lower than centerline of rd.; in NW. corner of S. wingwall of bridge over Burchards Creek; PDH standard disk stamped "7 DSW 1963 USGS"	1168.213	

LINE 2 (Cont'd.)

1963

Feet

1	51	7.32	Greeley; 0.4 mi S.W. of White Pine Park Hotel, thence 0.7 mi E. towards Lake Greeley; 202 ft NW. along T-rd. NW. leading to Rowland; 18 ft E. of, and about 1 ft higher than center of bridge; in SE. corner of concrete wingwall of bridge over Taylortown Creek; PDH standard disk stamped "6 DSW 1963 USGS"	1137.317
1	52	8.04	Greeley; 0.3 mi SW. of White Pine Park Hotel; 15 ft E. of, and 0.5 ft lower than center of bridge over Taylortown Creek; in SE. corner of wingwall of bridge; PDH standard disk stamped "9 DSW 1963 USGS"	1071.492

LINE 3.

D. S. Wright, 1963; Book AV 1302

2	21	0.00	"S 235 1959" (NGS)	1442.169
2	23	1.75	U.E., 15 ft E. of, and 1 ft lower than centerline of rd.; on SE. corner of rock culvert; chiseled square	1500.85
2	24	2.06	Reference mark; 93 ft NE. of tablet; on SE. corner of rock culvert; chiseled square	1498.21
2	25	2.08	Hawley, 8.5 mi SE. of, to Good Shepherd Church, thence 5.6 mi S. along State Highway 402; 53 ft SW. of centerline of dirt rd. W.; 27 ft W. of, and about level with centerline of rd.; in concrete post projecting about 0.4 ft above ground; standard tablet stamped "13 DSW 1963 1497"	1496.704
2	26	2.73	U.E., 17 ft W. of centerline of rd.; on large rock; chiseled square	1414.00
2	27	3.28	U.E., 17 ft E. of, and about 4 ft higher than centerline of rd.; on rock ledge; chiseled square	1417.89
2	28	3.76	Hawley, 8.5 mi SE. of, to Good Shepherd Church, thence 7.2 mi S. along State Highway 402; 15 ft E. of, and about 0.5 ft lower than centerline of rd.; in SE. wingwall of concrete bridge over Bushkill Creek; PDH standard disk stamped "14 DSW 1963 USGS"	1363.266
2	29	4.26	U.E., 76 ft SE. of centerline of rd. at junction of rd. fork NE.; on rock; chiseled square	1340.80
2	32	6.11	Reference mark; 21 ft S. of tablet; on rock; chiseled square	1452.94
2	33	6.14	Hawley, 8.5 mi SE. of, to Good Shepherd Church, thence 7.7 mi S. along State Highway 402, thence 1.9 mi NE. along rd. leading to Hemlock Lake; 26 ft E. of, and about level with centerline of rd.; in concrete post projecting 0.5 ft above ground; standard tablet stamped "15 DSW 1963 1454"	1454.067

1963

LINE 3 (Cont'd.)

Feet

2	35	7.35	U.E., 12 ft W. of, and about level with centerline of rd.; on small rock; chiseled square	1519.00
2	36	8.01	Reference mark; 15 ft E. of tablet; on top of large rock; chiseled square	1508.47
2	37	8.03	Hawley, 8.5 mi SE. of, to Good Shepherd Church, thence 7.7 mi S. along State Highway 402, thence 3.8 mi NE. along rd. leading to Hemlock Lake and Lords Valley Country Club; 45 ft E. of, and about level with centerline of rd.; in concrete post projecting about 0.5 ft above ground; standard tablet stamped "16 DSW 1963 1507"	1506.703
2	38	8.53	U.E., 15 ft E. of, and about 3 ft higher than centerline of rd.; on large rock; chiseled square	1555.88
2	39	9.16	U.E., 30 ft E. of, and about 4 ft higher than centerline of rd.; on large rock; chiseled square	1448.06
2	40	9.79	U.E., 10 ft W. of, and about level with centerline of rd.; on large rock; chiseled square	1406.51
2	43	11.28	"U 236 1959" (NGS)	1276.658

LINE 4.

D. S. Wright, 1963; Book AV 1302

2	46	0.00	"S 236 1959" (NGS)	1345.949
---	----	------	--------------------	----------

[Jogs into Milford quadrangle]

2	70	11.58	Porter Lake Outlet, 4.7 mi NE. of, along macadam rd. leading to Silver Lake; 53 ft SE. of junction of T-rd. N.; about 200 ft W. of Little Bushkill Creek; in concrete post projecting 0.4 ft.; standard tablet stamped "22 DSW 1963 1276"	1275.940
2	74	13.58	U.E., 12 ft S. of, and 0.5 ft lower than center of steel bridge over Saw Creek; on SE. wingwall; chiseled square	1348.23
2	75	14.06	Porters Lake Clubhouse, 2.9 mi NE. of; at State Forest boundary; 150 ft NW. of centerline of rd.; 12 ft S. of centerline of fire lane; in large rock in place; standard tablet stamped "C 68 1924 PRIM TRAV STA NO 18 Y 1925" (Reported disturbed, 1963)	1369.896
2	79	16.45	Porters Lake Outlet; 0.11 mi N. of; 41 ft N. and 189 ft E. of rd. forks; at old rd. crossing; in large flat rock; standard tablet stamped "PRIM TRAV STA NO 17 Y 1925 1315"	1315.886

8  
HAWLEY  
Book AV 1302

PENNSYLVANIA

41-075-21  
D. S. Wright

1963

LINE 4 (Cont'd.)

Feet

3	5	17.12	U.E., 30 ft E. of, and about level with centerline of rd.; on large rock; chiseled square	1339.28
3	6	17.59	U.E., 20 ft E. of centerline of rd.; on SE. corner of rock culvert; chiseled square	1332.63
3	7	18.12	U.E., 6 ft N. of centerline of woods rd. W.; on small rock; chiseled square	1421.77
3	8	18.54	"U.E., chiseled square" (Described in line 3)	1340.80

LINE 5.

D. S. Wright, 1963; Book AV 1302

3	34	0.00	"4 DSW 1963 USGS" (PDH) (Described in line 1)	1158.312
3	34	0.51	Reference mark; 3 ft W. of tablet; on NW. end of concrete culvert; chiseled square	1216.81
3	35	0.53	Hawley, about 1.0 mi SW. of, to junction of U. S. Highway 6 and State Highway 590, thence 0.5 mi W. along Highway 590; 20 ft N. of, and about 0.5 ft lower than centerline of rd.; in concrete culvert; standard tablet stamped "26 DSW 1963 1217"	1216.785
3	37	1.46	U.E., 34 ft SE. of centerline of rd.; on SW. corner of concrete culvert; chiseled square	1212.44
3	39	2.68	U.E., 38 ft SW. of centerline of rd. fork SW.; on concrete culvert; chiseled square	1201.42
3	40	3.29	Reference mark; 4 ft S. of tablet; on S. end of L-shaped concrete culvert; chiseled square	1318.16
3	41	3.29	Hawley, about 1.0 mi SW. of, to junction of U. S. Highway 6 and State Highway 590, thence 3.3 mi W. along Highway 590; 22 ft S. of, and about 1 ft lower than centerline of rd.; in middle of L-shaped concrete culvert; standard tablet stamped "27 DSW 1963 1319"	1318.880

LINE 6.

D. S. Wright, 1963; Book AV 1302

5	31	13.42	U.E., 10 ft W. of centerline of rd. and RR. crossing; on concrete block; chiseled square	1079.00
5	33	14.28	U.E., 12 ft S. of, and 0.5 ft higher than centerline of rd. opposite; on SE. corner of concrete guardrail of steel bridge over Middle Creek; chiseled square	1038.97



LINE 6 (Cont'd.)

1963

Feet

5	35	15.42	Hawley, about 1.5 mi NE. of; 15 ft S. of, and level with centerline of rd.; in Sw. corner of concrete wingwall of bridge over Middle Creek; PDH standard disk stamped "50 OSW 1963 USGS"	955.631
5	36	15.42	Reference mark; 15 ft S. of centerline of rd.; on SE. corner of concrete wingwall of bridge over Middle Creek; chiseled square	956.65
5	38	16.43	Hawley; 15 ft S. of, and about level with centerline of bridge; in Sw. wingwall of bridge over Lackawaxen River; PDH standard disk stamped "51 OSW 1963 USGS"	893.798
5	39	16.47	Reference mark; 15 ft S. of S. rail of W. end of steel RR. bridge over Middle Creek; RR. plug (Erie RR. BM)	900.77
5	40	17.07	"PRIM TRAV STA NO 1 Y 1925 RESET 1945" (Described in line 1)	896.021