

THIRD-ORDER LEVELING
SEA LEVEL DATUM OF 1929

Le RAYSVILLE QUADRANGLE
215 PA.-59A N.Y.
N4145-W7600/15
DIAGRAM NK 18-7
WILLIAMSPORT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Bradford and Susquehanna Counties, Pa.; Broome
and Tioga Counties, N.Y.


Only the permanent marks
are listed for lines
run more than 25 years
before edition date

Final adjustment of 1971

Edition of 9/29/72

PR: LFB/jyk

ENDICOTT
(237 PA.-59 N.Y.)



INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
US RA LA PA 583	8	146 R.JN 1966 1421	12
TT 5 K 1931 1006	4,10	147 R.JN 1966 1336	12
TT 18 K 1931	3,6	148 R.JN 1966 1302	12
TT 20 K 1931	3,10,16	149 R.JN 1966 1216	12
TT 27 K 1931	4	150 R.JN 1966 1174	12
TT 28 K 1931	7,9	151 R.JN 1966 1117	11
TT 30 K 1931	7	152 R.JN 1966 1101	11
TT 31 K 1931 1399	7,11,11	213 R.JN 1966 1433	11
TT 33 K 1931 1545	7,15	214 R.JN 1966 1432	11
TT 34 K 1931	7,8	215 R.JN 1966 1267	11
TT 35 K 1931	8	227 R.JN 1966 1559	15
TT 36 K 1931	8	228 R.JN 1966 1370	15,15
TT 37 K 1931	6,6		
TT 38 K 1931	6	<u>PDN</u>	
TT 39 K 1931 1091	9,13	NOT STAMPED (816.753)	7,9
TT 2 TH 1942	8	NOT STAMPED (830.035)	6
TT 3 TH 1942	4,10	NOT STAMPED (869.391)	4,13
TT 4 TH 1942	4	NOT STAMPED (937.479)	4
TT 5 TH 1942 1285	4,13	NOT STAMPED (947.979)	5
TT 6 TH 1942	4	NOT STAMPED (960.372)	4
TT 7 TH 1942	5	NOT STAMPED (984.983)	5
TT 8 TH 1942	8	NOT STAMPED (1004.857)	5
10 N 1942	5	NOT STAMPED (1013.551)	3
11 N 1942	5	NOT STAMPED (1020.324)	5
12 N 1942 RESET 1969	6,14	NOT STAMPED (1080.656)	3,10
13 N 1942 1424 RESET	9,11	NOT STAMPED (1088.330)	3
14 N 1942	9	NOT STAMPED (1105.832)	5,8
94 R.JN 1966 979	10	NOT STAMPED (1107.024)	9
125 R.JN 1966 845	13	NOT STAMPED (1113.79)	3
126 R.JN 1966 876	13	NOT STAMPED (1160.763)	7,10
128 R.JN 1966 951	13	NOT STAMPED (1162.506)	9,11
132 R.JN 1966 1061	15	NOT STAMPED (1205.629)	3
133 R.JN 1966 1065	14	95 R.JN 1966 USGS	10
134 R.JN 1966 1111	14	127 R.JN 1966 USGS	13
135 R.JN 1966 1273	14	129 R.JN 1966 USGS	15
136 R.JN 1966 1205	14,14	130 R.JN 1966 USGS	15
137 R.JN 1966 1198	14	131 R.JN 1966 USGS	15
138 R.JN 1966 1114	14	139 R.JN 1966 USGS	14
140 R.JN 1966 1044	14	143 R.JN 1966 USGS	12
141 R.JN 1966 1200	13		
142 R.JN 1966 1233	13		
144 R.JN 1966 1436	12		
145 R.JN 1966 1563	12		

1942

LINE 1.Feet

F. B. Neary, 1942; Book B 9386

U.E., Birchardville, 2.0 mi SE. of; 60 ft SE. of T-rd. SW.; 3 ft E. of fence; top of flat rock; chiseled square

1572.53

[Jags into Montrose quadrangle]

U.E., Birchardville; 40 ft S. of crossroad; 150 ft NE. of store of Fred Birchard; on SE. end of stone headwall of culvert; chiseled square

1046.12

Birchardville, 0.7 mi NE. of; 75 ft S. of junction of T-rd. E.; in wingwall at NE. corner of bridge; PDN standard disk not stamped (Reported not found, 1967)

1080.656

Birchardville, 1.2 mi N. of, along State Highway 267; in SE. end of NE. wall of bridge; PDN standard disk not stamped

1088.330

Friendsville, 3.5 mi SE. of, along State Highway 267; in SE. wingwall of culvert; PDN standard disk not stamped

1205.629

Reference mark; 180 ft S. of tablet; on NE. end of NW. headwall of culvert; chiseled square

1291.83

Birchardville, 3.5 mi NE. of; 2.0 mi SW. of St. Joseph; 2.5 mi SE. of Friendsville; 340 ft SW. of intersection of State Highway 267 and Friendsville-Forest Lake Road; 100 ft W. of centerline of hwy.; in pasture; in medium-sized boulder 1 ft above ground; standard tablet stamped "TT 18 K 1931" (NOTE: Tablet is set at about 45° angle)

1301.015

U.E., St. Joseph, 0.8 mi SW. of; 250 ft NE. of rd. forks; on NW. bank of rd.; 4 ft higher than rd.; on rock ledge; chiseled square

1366.12

[Jags into Montrose quadrangle]

Chocanut, 1.0 mi S. of; in NE. wingwall of concrete bridge over small stream; PDN standard disk not stamped

1113.79

Chocanut; in SE. corner of junction of rd. E.; at W. wall at corner entrance to McCahills old hotel; in stone foundation of porch 1.5 ft above ground; standard tablet stamped "TT 20 K 1931"

1102.196

Reference mark; 80 ft N. of tablet; on concrete headwall of culvert; chiseled square

1101.32

LINE 2.

F. B. Neary, 1942; Book B 9408

Rush, 1.4 mi SE. of; 75 ft SE. of forks of rd. SW.; in wingwall of hwy. bridge over small stream; PDN standard disk not stamped (Reported destroyed, 1967)

1013.551

1942

LINE 2 (Cont'd.)Feet

Rush, at W. edge of town; 75 ft N. and 75 ft W. of Rush School; on S. edge of State Highway 106; 60 ft N. of centerline of rd.; in top of large boulder in pasture; standard tablet stamped "TT 5 K 1931"1004"	1004.248
Reference mark; 0.2 mi S. of tablet; in SE. wingwall of bridge over large stream; PDN standard disk not stamped	937.479
U.E., Lawton; 20 ft N. of intersection of U. S. Highway 106 and State Highway 267; on S. point of concrete headwall of culvert; chiseled square	896.767
Lawton, 1.0 mi S. of, along State Highway 267; 125 ft SE. of forks of rd. W.; in SE. wingwall of bridge; PDN standard disk not stamped	960.372
Lawton, 2.5 mi SW. of; 110 ft SE. of centerline of State Highway 367; at crest of hill; in pasture owned by John Logan; in large boulder; standard tablet stamped "TT 3 TN 1942"	1386.361
Reference mark; 250 ft N. of tablet; 60 ft SE. of centerline of rd.; on boulder; chiseled square	1391.48
U.E., Rushville, 1.6 mi SE. of; at NE. corner of bridge over Wolf Creek; 1 ft higher than bridge floor; on concrete guardrail support; chiseled square	849.60
Rushville, about 1.0 mi SW. of; about 2.8 mi NE. of Stephenville; 50 ft N. of centerline of State Highway 106; at point 450 ft W. of junction of Wolf Creek Road SE.; 175 ft E. of Pine Glen Church; opposite residence of Stanley Herman; in S. face at SW. corner of concrete foundation to Pine Glen School (now removed); standard tablet stamped "TT 27 K 1931" (Reported not found, 1967)	859.055
Reference mark; 60 ft W. of tablet; on N. side of hwy.; on center of concrete headwall; chiseled square	853.748
Rushville, 0.2 mi NE. of; 50 ft SW. of forks of rd. N.; in S. wingwall of bridge; PDN standard disk not stamped	869.391
U.E., Rushville, 1.3 mi N. of; on W. side of Keech Hill Road; on N. end of stone bridge at private rd. to house; chiseled square	1181.76
Rushville, 2.0 mi N. of, along Keech Hill Road; 0.3 mi S. of T-rd. W. to Stone House Corners; 12 ft E. of centerline of rd.; in NW. corner of pasture; in concrete post; standard tablet stamped "TT 4 TN 1942"	1370.977
Prattville; in yard of Prattville Church; 30 ft S. of entrance to church; 40 ft N. of centerline of rd.; in sandstone boulder; standard tablet stamped "TT 5 TN 1942 1285"	1284.396
Neath, 1.9 mi N. of; 64 ft N. and 5 ft E. of centerline of crossroad; 3 ft S. of electric light pole; in concrete post; standard tablet stamped "TT 6 TN 1942"	1227.499

1942

LINE 2 (Cont'd.)Feet

Reference mark; 50 ft S. of tablet; on E. end of stone culvert; chiseled square	1224.70
Neath, 4.6 mi N. of; 2.8 mi E. of Warren Center; 0.2 mi N. of Lake of Meadows; at locality known as Nixon; 43 ft S. and 10 ft W. of small grass triangle at rd. forks; in concrete post; standard tablet stamped "TT 7 TH 1942"	1645.381
Little Meadows, 1.4 mi SE. of, along State Highway 858; 79 ft N. and 28 ft W. of junction of hwy. and rd. SW. to Lake Meadows; in NW. wingwall of concrete bridge over small stream; PDH standard disk not stamped	1105.832
Reference mark; 60 ft SE. of tablet; on concrete headwall of culvert; chiseled square	1105.12
U.E., Little Meadows, 1.7 mi SE. of; 15 ft W. of intersection of State Highway 858 and rd. E.; on NE. corner of concrete headwall of culvert; chiseled square	1168.67
Little Meadows, about 2.5 mi E. of; 2.0 mi SW. of Tracy Creek; on W. side of rd.; in top of New York-Pennsylvania State line monument; standard tablet stamped "10 N 1942"	1515.802

[Jogs into Endicott quadrangle]

Tracy Creek, about 3.0 mi SE. of; 4.0 mi NW. of Choconut; 150 ft S. of centerline of rd.; 75 ft S. of SW. corner of barn; in top of boulder; standard tablet stamped "11 N 1942"	1598.662
Reference mark; 10 ft NE. of tablet; on boulder; chiseled square	1598.65

LINE 3.

F. B. Neary, 1942; Book B 9408	
U.E., chiseled square (Described in line 1)	1046.12
Birchardville, 0.5 mi SW. of; at SW. corner of bridge over Wyalusing Creek; in wingwall; PDH standard disk not stamped	1020.324
Birchardville, 2.2 mi SW. of; in SE. wingwall of bridge; PDH standard disk not stamped (Reported not found, 1967)	1004.857
Birchardville, 2.9 mi SW. of; in E. wingwall of bridge; PDH standard disk not stamped	984.983
Birchardville, 3.6 mi SW. of; 2.1 mi NE. of Lawton; 200 ft N. of forks of rd. W.; in NE. wingwall of bridge; PDH standard disk not stamped (Reported destroyed, 1966)	947.979
U.E., chiseled square (Described in line 2)	896.767

1942

LINE 4.Feet

F. B. Neary, 1942; Book B 9408

"TT 18 K 1931" (Described in line 1)

1301.015

Friendsville; 300 ft SE. of Catholic Church; 100 ft SE. of junction of rd. NE. to Choconut Lake; on S. edge of New Milford-Owego turnpike; in front of store of M. L. Fitzgerald; in top of NE. corner of 4- by 6-ft concrete block projecting 3 ft above ground; standard tablet stamped "TT 37 K 1931"

1542.777

Reference mark; 0.1 mi SE. of tablet; 20 ft NE. of junction of rd. SW.; on rock outcrop; chiseled square

1534.33

U.E., Middletown Center, 1.6 mi NE. of; 200 ft W. of rd. forks; at SE. corner of bridge; on stone foundation; chiseled square

1128.97

Middletown Center; 220 ft E. of intersection of existing State Highway 858 and proposed State Highway 859; 60 ft S. of centerline of State Highway 859 (Middletown Center to Terrells Corner); in lot owned by Bruce Diamond and 200 ft E. of his dwellings; in top of red. sandstone boulder; standard tablet stamped "TT 38 K 1931" (Reported destroyed, 1966)

979.238

Reference mark; 200 ft W. of tablet; on S. end of E. headwall of culvert; chiseled square

1007.08

LINE 5.

F. B. Neary, 1942; Book B 9408

"TT 37 K 1931" (Described in line 4)

1542.777

Friendsville, 2.6 mi NW. of, along Legislative Route 944; 42 ft left of station 185+04; in NE. corner of concrete parapet; standard tablet stamped "12 N 1942 RESET 1969"

1303.525

U.E., chiseled square (Described in line 2)

1168.67

LINE 6.

F. B. Neary, 1942; Book B 9408

Reference mark; chiseled square (Described in line 2)

853.748

Rushville, 1.6 mi SW. of; 2.5 mi NE. of Stevensville; in W. wingwall of bridge over Ross Creek; PDM standard disk not stamped

830.035

U.E., Stevensville, 0.7 mi NE. of, along U. S. Highway 106; 40 ft NW. of junction of rd. NE. to Le Raysville; on SE. corner of concrete backwall of culvert; chiseled square

842.760

1942

<u>LINE 6 (Cont'd.)</u>	<u>Feet</u>
Stevensville; 115 ft W. of Presbyterian Church; 190 ft N. and 35 ft E. of centerline of State Highway 106 at junction of rd. N. to Le Raysville; at SW. corner of entrance platform to Stevensville Community Building; in top of rock outcrop; standard tablet stamped "TT 28 K 1931"	864.818
Reference mark; 350 ft E. of tablet; on N. headwall of concrete culvert; chiseled square	862.70
Stevensville; 0.2 mi SW. of Community Hall; in SW. wingwall of bridge; PDN standard disk not stamped	816.753
[Jogs into Meshoppen quadrangle]	
U.E., Herrickville, 3.2 mi SE. of, along State Highway 234; 20 ft SW. of junction of rd. E. to Camptown; on rock ledge; chiseled square	1244.51
[Jogs into Towanda quadrangle]	
Herrickville, about 2.0 mi SE. of; 1.2 mi NW. of Stony Point School; on W. side of Cold Creek; 195 ft N. of junction of Stony Point and Herrickville Road and rd. SW. to Camptown; at NE. corner of old barn foundations; at sawmill site; 25 ft NE. of E. end of stone wall about 6 ft high; in top of sandstone boulder; standard tablet stamped "TT 30 K 1931"	1149.760
Brushville, about 3.5 mi W. of; 1.2 mi NE. of Herrickville; 0.8 mi E. of Allis Mill; 280 ft S. of junction of Brushville-Herrickville Road and rd. NE. to Le Raysville; in pasture of J. W. Baldwin; 200 ft S. of E. end of barn; in top of large sandstone boulder 2 ft above ground; standard tablet stamped "TT 31 K 1931-1399"	1399.523
Reference mark; 30 ft SE. of tablet; on boulder; chiseled square	1397.54
Herrickville, 4.2 mi NE. of; 1.5 mi S. of Potterville; along State Highway 467; 250 ft NE. of centerline of crossroad at Wells Hollow; in E. wingwall of bridge; PDN standard disk not stamped	1160.763
Reference mark; 35 ft W. of tablet; on W. wingwall of bridge; chiseled square	1160.69
U.E., Potterville; at Corbins store; 65 ft N. of centerline of crossroad; on SW. corner of concrete foundation of gasoline pump; chiseled square	1274.70
Potterville, 1.2 mi N. of; about 0.11 mi W. of Cooks Pond; 160 ft NE. of junction of Potterville-West Warren Road and Ridge Road W. to Allis Hollow; in W. face of SW. corner of stone foundation of barn owned by E. B. Manchester; standard tablet stamped "TT 33 K 1931-1545"	1545.057
Reference mark; 40 ft NW. of tablet; in root on S. side of 15-in. maple tree; copper nail and washer	1539.34
Warren Center, 3.0 mi SW. of; 1.0 mi SE. of West Warren; at junction of State Highway 838 with public rd. S. to South Warren; 30 ft W. of centerline of rd. S. and in line with centerline of hwy. E.; in pasture 2 ft W. of wire fence; on property of W. J. Whitaker; in top of 12- by 12- by 48-in. granite post; standard tablet stamped "TT 34 K 1931" (Reported not found, 1966)	1116.882

1942

LINE 6 (Cont'd.)Feet

Reference mark; 75 ft E. of tablet; on E. edge of rd.; on rock in place; chiseled square	1116.34
U.E., Warren Center, 1.2 mi SW. of; on NE. wingwall of hwy. bridge; chiseled square	1216.12
Warren Center; 400 ft W. of right-angle curve in hwy. from E. to S.; 90 ft N. of centerline of State Highway 838; 1 ft above ground; in S. face at SE. corner of stone foundation to entrance of Warren Center School; standard tablet stamped "TT 35 K 1931" (Reported not found, 1966)	1323.992
Reference mark; 60 ft S. of tablet; in root on SW. side of 36-in. poplar tree; copper nail and washer	1320.36
Warren Center, 3.2 mi N. of; 200 ft NW. of junction of rd. W.; 15 ft SW. of centerline of rd.; in concrete post; standard tablet stamped "US RA LA PA 5 83"	1717.922
Warren Center, 3.5 mi N. of, thence 0.7 mi W.; 0.7 mi SE. of New York-Pennsylvania State line milestone 43; 140 ft S. of centerline of Montross-Owego turnpike at junction of T-rd. S. to Warren Center; in W. face at N. corner of stone foundation to frame dwelling of Roy Rawlins; standard tablet stamped "TT 36 K 1931" (Reported not found, 1967)	1465.373
U.E., Little Meadows, 1.0 mi NE. of, thence 0.9 mi SW.; on N. side of rd.; center of cross on top of granite boundary post marking New York-Pennsylvania State line	1321.13

[Jogs into Endicott quadrangle]

Little Meadows, 0.9 mi N. of, along State Highway 858; in SW. wingwall of concrete bridge over Apalachin Creek; standard tablet stamped "TT 8 TN 1942 1009"	1008.654
Reference mark; 65 ft NW. of tablet; on NW. wingwall; chiseled square	1008.91
U.E., Little Meadows; 60 ft NW. of crossroad at post office; on concrete headwall of culvert; chiseled square	1046.42
PBN standard disk not stamped (Described in line 2)	1105.832

LINE 7.

F. B. Neary, 1942; Book B 9408

"TT 34 K 1931" (Described in line 6)	1116.882
--------------------------------------	----------

[Jogs into Towanda quadrangle]

Cadis; in NE. corner of concrete step at entrance to Cadis School; standard tablet stamped "TT 2 TN 1942"	1151.755
U.E., Cadis, 2.0 mi NE. of; 0.5 mi SW. of New York-Pennsylvania State line monument No. 43; at SE. corner of bridge over stream; on rock; chiseled square	1320.02

1942

LINE 7 (Cont'd.)Feet

U.E., Cadis, 2.5 mi NE. of; 25 ft W. of rd. forks; center of cross on top of New York-Pennsylvania State line monument 43 M 1411.21

LINE 8.

F. B. Neary, 1942; Book B 9408

U.E., chiseled square (Described in line 6) 842.760

U.E., Le Raysville, 3.0 mi S. of; 190 ft N. of forks of rd. W.; at summit of hill; 20 ft W. of, and about 6.0 ft higher than centerline of rd.; on E. edge of private driveway; on rock; chiseled square 1146.13

Le Raysville, 2.4 mi S. of; in NW. wingwall of bridge; PMN standard disk not stamped 1107.024

Reference mark; 25 ft E. of tablet; on wingwall; chiseled square 1107.07

Le Raysville, 1.4 mi S. of, along State Highway 858; in NW. wingwall of bridge over Rockwell Creek; PMN standard disk not stamped 1162.506

Le Raysville, about 200 ft NE. of, and 17.0 ft higher than centerline of rd. at junction of T-rd. E.; in S. end of second step at SW. entrance to Le Raysville Community Building; standard tablet stamped "13 N 1942 1424 RESET" 1423.891

U.E., Le Raysville, 250 ft NE. of T-rd. E.; on S. end of bottom step; chiseled square 1423.21

U.E., Le Raysville, 1.3 mi N. of, along Warren Center Road; 40 ft N. of junction of T-rd. W.; on stone culvert; chiseled square 1486.08

Le Raysville, 2.2 mi N. of; 3.0 mi W. of Neath; 50 ft SE. of centerline of crossroad; in top of large flat rock; standard tablet stamped "14 N 1942" 1581.098

U.E., Neath, 2.1 mi W. of; 75 ft SW. of centerline of crossroad; 4 ft W. of fence; on top of rock; chiseled square 1419.28

Neath; 0.2 mi N. of Bradford-Susquehanna County line; 0.12 mi W. of intersection of State Highway 859 and N.-S. rd.; 15 ft N. and 50 ft E. of bridge over Gaylord Creek; in top of concrete retaining wall; standard tablet stamped "TT 39 K 1931" 1091.018

LINE 9.

E. W. Smith, 1942; Book B 9628

"TT 28 K 1931" (Described in line 6) 864.818

PMN standard disk not stamped (Described in line 6) 816.753

10

La RAYSVILLE

PA.-N.Y.

E. W. Smith

Book B 9628

1942

LINE 10.feet

E. W. Smith, 1942; Book B 9628

"TT 3 TN 1942" (Described in line 2)

1386.361

LINE 11.

F. B. Neary, 1942; Book B 9386

PDM standard disk not stamped (Described in line 1)

1080.656

LINE 12.

F. B. Neary, 1942; Book B 9386

There are no permanent marks on this line in this quadrangle.

LINE 13.

F. B. Neary, 1942; Book B 9386

Reference mark; 80 ft N. of tablet stamped "TT 20 K 1931"; on concrete headwall of culvert; chiseled square

1101.32

LINE 14.

R. J. Neff, 1966; Book AV 1464

1 48 0.00 "TT 5 K 1931 1004" (Described in line 2)

1004.248

1 48 1.17 Rush, 1.0 mi E. of, along State Highway 106; 4.2 mi W. of Fairdale; 12 ft S. of, and level with center of small bridge; in W. end of S. wheelguard; standard tablet stamped "94 R.M 1966 979"

979.469

1 50 2.26 Rush, 2.1 mi E. of, along State Highway 106; 3.2 mi W. of Fairdale; 25 ft S. of, and 3.0 ft lower than centerline of rd. at drain crossing; in W. end of S. concrete headwall of large culvert; PDM standard disk stamped "95 R.M 1966 USGS"

1007.569

LINE 15.

R. J. Neff, 1966; Book AV 1464

2 1 0.00 PDM standard disk not stamped (Described in line 6)

1160.763

2 1 0.47 U.E., 15 ft NW. of, and 0.5 ft lower than center of bridge; on NW. wingwall; chiseled square

1155.62

1966

LINE 15 (Cont'd.)Feet

2	2	1.22	Concklin Corners, 0.8 mi E. of, along macadam rd.; 3.0 mi NW. of Le Raysville; 110 ft NW. of, and 6.0 ft higher than centerline of rd. at junction of graveled rd. NW.; at point of angle formed by two rds.; in concrete headwall; standard tablet stamped "215 R.J.N 1966 1267"	1266.621
2	4	2.45	Concklin Corners, 2.0 mi E. of, along macadam rd.; 1.8 mi NW. of Le Raysville; 100 ft W. of, and level with centerline of rd. at junction of driveway S. to one-story grey house; in W. end of S. concrete culvert headwall; standard tablet stamped "214 R.J.N 1966 1432"	1432.201
2	5	3.35	Le Raysville; 0.9 mi NW. of Le Raysville Congregational Church, along State Highway 467; 15 ft N. and 18 ft E. of, and 0.5 ft higher than centerline of crossroad; in corner of L-shaped 3-ft concrete culvert; standard tablet stamped "213 R.J.N 1966 1433"	1432.900
2	7	4.20	Le Raysville; about 200 ft NE. of, and 17.0 ft higher than centerline of rd. at junction of T-rd. E.; in S. end of second step at SW. entrance to Le Raysville Community Building; standard tablet stamped "13 N 1942 1424 RESET" (Also described in line 8)	1423.891
2	9	5.65	PDM standard disk not stamped (Described in line 8)	1162.506

LINE 16.

R. J. Neff, 1966; Book AV 1464

2	24	8.27	"TT 31 K 1931 1399" (Described in line 6)	1399.523
---	----	------	---	----------

LINE 17.

R. J. Neff, 1966; Book AV 1464

2	44	10.87	"TT 31 K 1931 1399" (Described in line 6)	1399.523
---	----	-------	---	----------

LINE 18.

R. J. Neff, 1966; Book AV 1464

4	29	1.02	West Warren; 0.7 mi SE. of Congregational Church, along macadam rd.; at 80-ft bridge over Wappasening Creek; 37 ft N. and 10 ft E. of, and level with center of bridge; in E. end of N. backwall; standard tablet stamped "152 R.J.N 1966 1101"	1101.361
4	30	1.60	West Warren; 1.3 mi SE. of Congregational Church, along macadam rd.; 134 ft SE. of, and about 1.0 ft lower than centerline of rd. at junction of T-rd. NE.; 2 ft S. of metal witness post; 11 ft S. of fence corner; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "151 R.J.N 1966 1117"	1116.675

1966

LINE 18 (Cont'd.)Feet

4	31	2.48	Warren Center; 2.7 mi W. of Warren Center Methodist Church, along macadam rd. leading to West Warren; 13 ft NE. of, and about level with centerline of rd. over 5-ft concrete culvert; in E. end of N. retaining wall; standard tablet stamped "150 R.J.N 1966 1174"	1173.578
4	32	3.37	Warren Center; 1.7 mi W. of Warren Center Methodist Church, along macadam rd. leading to West Warren; 34 ft SW. of, and about level with center of bridge over Wappasening Creek; in E. end of SW. wingwall; standard tablet stamped "149 R.J.N 1966 1216"	1216.124
4	33	3.39	U.E., chiseled square (Described in line 6)	1216.12
4	34	4.33	Warren Center; 0.7 mi W. of Warren Center Methodist Church, along macadam rd. leading to West Warren; 75 ft W. and 26 ft S. of, and about level with centerline of rd. at junction of T-rd. S.; 3 ft S. of metal witness post; 5 ft S. of power pole; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "148 R.J.N 1966 1302"	1308.510
4	35	4.99	Warren Center; in SE. end of bottom step leading to main entrance of Warren Center Methodist Church; standard tablet stamped "147 R.J.N 1966 1336"	1336.355
4	36	5.98	Warren Center; 1.0 mi SE. of Warren Center Methodist Church, along macadam rd.; at junction of three rds.; 83 ft SE. of junction of two macadam rds.; 3 ft N. of metal witness post; 49 ft S. of power pole; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "146 R.J.N 1966 1421"	1421.484
4	37	6.84	Neath; 0.4 mi E. of Welsh Congregational Church, thence 2.0 mi N. along dirt rd., thence 2.3 mi NW. along dirt and macadam rds.; 77 ft NW. of, and about 2.0 ft higher than centerline of rd. at junction of Y-rd. N.; 3 ft N. of power pole; 34 ft NW. of NW. corner of barn; in top of 2- by 4-ft boulder; standard tablet stamped "145 R.J.N 1966 1563"	1563.077
4	38	7.76	Neath; 0.4 mi E. of Welsh Congregational Church, along macadam rd., thence 2.0 mi N. along dirt rd., thence 1.3 mi NW. along dirt and macadam rd.; 94 ft N. of, and level with centerline of rd. at junction of private drive SW.; 2 ft S. of metal witness post; 5 ft E. of fence corner; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "144 R.J.N 1966 1436"	1435.831
4	40	8.74	Neath; 0.4 mi E. of Welsh Congregational Church, along macadam rd., thence 2.0 mi N. along dirt rd., thence 0.3 mi NW. along dirt rd. to bridge over Gaylord Creek; 21 ft SE. of, and level with center of bridge; in E. end of SE. wingwall; PBN standard disk stamped "143 R.J.N 1966 USGS"	1218.350

1966

LINE 18 (Cont'd.)Feet

4	41	8.98	Neath; 0.4 mi E. of Welsh Congregational Church, along macadam rd., thence 2.0 mi N. along dirt rd.; 72 ft SE. of, and about 7.0 ft higher than centerline of crossroad; 2 ft E. of metal witness post; 3 ft S. of power pole; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "142 R.N 1966 1233"	1232.623
4	43	10.39	Neath; 0.4 mi E. of Welsh Congregational Church, along macadam rd., thence 0.6 mi N. along dirt rd.; 100 ft N. and 57 ft E. of, and 4.0 ft higher than centerline of rd. at junction of Y-rd. NE.; 3 ft E. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "141 R.N 1966 1200"	1199.879
4	44	11.04	"TT 39 K 1931 1091" (Described in line 8)	1091.018
4	47	13.06	U.E., 60 ft SE. of, and 3.0 ft higher than centerline of rd. at junction of T-rd. W. to Prattville; on NW. corner of square concrete watering tank; chiseled square	1113.36
4	48	13.44	"TT 5 TH 1942 1285" (Described in line 2)	1284.396

LINE 19.

R. J. Neff, 1966; Book AV 1464

4	50	0.00	"PDN standard disk not stamped" (Described in line 2)	869.391
4	50	0.64	Rushville; about 0.1 mi E. of junction of U. S. Highway 106 and State Highway 858 N.; at bridge over Wyalusing Creek; about 1.0 ft lower than center of bridge over creek; in top of N. end of E. abutment; standard tablet stamped "125 R.N 1966 845"	845.433
4	52	1.82	Rushville; 1.1 mi N. of junction of U. S. Highway 106, along State Highway 858; at T-rd. NW.; about 1.0 ft higher than centerline of rd.; in top of Sw. end of SE. concrete wheelguard of bridge over small stream; standard tablet stamped "126 R.N 1966 876"	875.497
4	54	2.83	Rushville, 2.2 mi N. of junction of U. S. Highway 106, along State Highway 858; level with center of bridge; in top of E. end of S. abutment of bridge over Gaylord Creek; PDN standard disk stamped "127 R.N 1966 USGS"	897.705
4	56	4.01	Rushville; 3.4 mi N. of junction of U. S. Highway 106, along State Highway 858; level with center of bridge; in top of E. end of S. abutment of bridge over small stream; standard tablet stamped "128 R.N 1966 951"	950.569
4	561	6.62	U.E., chiseled square (Described in line 18)	1113.36

1966

LINE 20.Feet

R. J. Neff, 1966; Book AV 1464

5	7	1.06	Little Meadows; 0.2 mi S. of junction of T-rd. W. to Warren Center, along State Highway 858; 16 ft W. of, and about level with centerline of rd.; in S. end of 4-ft concrete culvert; standard tablet stamped "140 R.J.N 1966 1044"	1043.765
5	8	2.16	Little Meadows; 1.4 mi S. of junction of T-rd. W. to Warren Center, along State Highway 858; 15 ft NW. of, and level with center of bridge over small stream; PDH standard disk stamped "139 R.J.N 1966 USGS"	1099.132
5	10	2.69	Little Meadows; 1.8 mi S. of junction of T-rd. W. to Warren Center, along State Highway 858, thence 0.1 mi E. along Bowbridge Road; 27 ft SW. of, and 1.0 ft lower than center of bridge over Applachin Creek; in W. end of S. retaining wall; standard tablet stamped "138 R.J.N 1966 1114"	1114.362
5	12	4.15	Little Meadows; 3.2 mi S. of junction of T-rd. W. to Warren Center, along State Highway 858; 116 ft NW. of, and 3.0 ft higher than centerline of rd. at junction of T-rd. SW.; in top of S. end of 24-in. concrete culvert; standard tablet stamped "137 R.J.N 1966 1198"	1197.696
5	13	5.21	Rushville; 12.2 mi N. of junction of U. S. Highway 106, along State Highway 858; 4.2 mi N. of Middletown Center; 42 ft N. of, and 0.5 ft lower than centerline of rd. at junction of T-rd. S.; 2 ft E. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "136 R.J.N 1966 1205"	1204.479
5	14	5.45	"12 N 1942 RESET 1969" (Described in line 5)	1303.525
5	16	5.21	"136 R.J.N 1966 1205" (Described previously)	1204.479
5	16	6.19	Rushville; 11.4 mi N. of junction of U. S. Highway 106, along State Highway 858; 3.4 mi N. of Middletown Center; 54 ft W. of, and 6.0 ft higher than centerline of rd. at junction of Y-rd. SW.; 3 ft SW. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "135 R.J.N 1966 1273"	1272.970
5	18	7.24	Rushville; 10.4 mi N. of junction of U. S. Highway 106, along State Highway 858; 2.4 mi N. of Middletown Center; 34 ft SW. of, and about 6.0 ft higher than centerline of rd. at junction of private drive E.; 3 ft N. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "134 R.J.N 1966 1111"	1111.117
5	19	8.10	Rushville; 9.5 mi N. of junction of U. S. Highway 106, along State Highway 858; 2.5 mi N. of Middletown Center; about 42 ft NW. of, and 3.0 ft higher than centerline of rd. at junction of T-rd. W.; 2 ft S. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "133 R.J.N 1966 1065"	1064.433

1966

LINE 20 (Cont'd.)Feet

5	20	9.08	Rushville; 8.4 mi N. of junction of U. S. Highway 106, along State Highway 858; 1.4 mi N. of Middletown Center; about 36 ft NW. of, and 4.0 ft higher than centerline of rd. at junction of woods trail W.; 0.5 ft SE. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "132 R.JN 1966 1061"	1061.039
5	22	10.54	Rushville; 7.0 mi N. of junction of U. S. Highway 106, along State Highway 858, thence 0.1 mi E. of Middletown Center; 1.0 ft higher than center of bridge over North Branch Wyalusing Creek; in top of S. end of W. abutment; PDH standard disk stamped "131 R.JN 1966 USGS"	974.168
5	24	12.02	Rushville; 5.6 mi N. of junction of U. S. Highway 106, along State Highway 858; level with center of bridge over Summers Creek; in top of NW. end of NE. abutment; PDH standard disk stamped "130 R.JN 1966 USGS"	967.414
5	25	12.74	Rushville; 4.8 mi N. of junction of U. S. Highway 106, along State Highway 858; 0.5 ft lower than center of bridge over small stream; in top of NW. end of NE. abutment; PDH standard disk stamped "129 R.JN 1966 USGS"	935.257

LINE 21.

R. J. Neff, 1966; Book AV 1464

5	33	2.28	Orwell; 1.4 mi E. of Orwell Federated Church, along macadam rd.; at Darling Cemetery; 52 ft NE. of, and 3.0 ft higher than centerline of rd. at junction of I-rd. W.; 11 ft E. of power pole; 1.5 ft SW. of metal witness post; level with ground; crimped to top of copper-coated steel rod; standard tablet stamped "227 R.JN 1966 1559"	1559.032
5	35	3.10	Petterville; 0.5 mi N. of Congregational Church, along macadam rd.; 49 ft SW. of, and about level with centerline of rd. at junction of I-rd. W.; 2 ft E. of power pole; 2 ft NW. of fence corner displaying witness sign; crimped to top of copper-coated steel rod; standard tablet stamped "228 R.JN 1966 1370"	1369.779
5	36	3.81	"TT 33 K 1931 1545" (Described in line 6)	1545.057

LINE 22.

R. J. Neff, 1966; Book AV 1464

5	38	0.00	"228 R.JN 1966 1370" (Described in line 21)	1369.779
5	40	1.61	U.E., chiseled square (Described in line 15)	1155.62

16

Le RAYSVILLE
Book AV 1526

PA.-N.Y.

C. R. Henkle

1968

LINE 23.

Feet

C. R. Henkle, 1968; Book AV 1526

1 43 17.67 "TT 20 K 1931" (Described in line 1)

1102.196