

THIRD-ORDER LEVELING
SEA LEVEL DATUM OF 1929

OFFICE COPY HOLD

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STODDARTSVILLE QUADRANGLE
141 PENNSYLVANIA
N4100-47530/15
DIAGRAM KK 18-8
SCRANTON

Carbon, Lackawanna, Luzerne, Monroe
and Wayne Counties

Final adjustment of 1971

Edition of 7/6/72


PR: GJK/jyk

Only the permanent marks
are listed for lines
run more than 25 years
before edition date

SCRANTON
(166)

WILKES BARRE
(142)

POCONO
(140)



LEHIGH
(117)

N25 (USCORS) VERTICAL CONTROL DATA

A. Quadrangle 410753

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
U S MILITARY RESERVATION (1678.329)	3	40 HLZ 1964 1708	8
U S MILITARY RESERVATION (1711.716)	3	41 HLZ 1964 1751	9
68 C 1921 PA	3	42 HLZ 1964 1862	9
74 C 1921 PA	3	43 HLZ 1964 1898	9
75 C 1921 PA	3	44 HLZ 1964 1956	9
76 C 1921 PA	3	45 HLZ 1964 1997	9
78 C 1921 PA	3	46 HLZ 1964 1941	9
86 C 1921 PA	3	47 HLZ 1964 1960	9
87 C 1921 PA	3	48 HLZ 1964 2008	9
88 C 1921 PA	3	49 HLZ 1964 1713	9
12 C 1922 PA	3	50 HLZ 1964 1741	10
13 C 1922 PA	5	51 HLZ 1964 1721	10
14 C 1922 PA	4	52 HLZ 1964 1601	10
15 C 1922 PA	4	55 HLZ 1964 1609	10
16 C 1922 PA	4	58 HLZ 1964 1595	11
17 C 1922 PA	4	59 HLZ 1964 1618	11
TT 72 T 1932 1940	4	60 HLZ 1964 1679	11
2 JPN 1942 1609	4,6	61 HLZ 1964 1754	11
3 JPN 1942 1887	4	GAGING STATION 62 HLZ 1964 1669	11
4 JPN 1942 1939	4	63 HLZ 1964 1873	11
ET 4 AAS 1959 1651	10	64 HLZ 1964 1592	11
6 HLZ 1964 1622	5	66 HLZ 1964 1834	11
9 HLZ 1964 1710	5,8		
11 HLZ 1964 1878	5		
12 HLZ 1964 1806	6	<u>PA. TURNPIKE COMMISSION</u>	
13 HLZ 1964 1672	6	NOT STAMPED (1545.493)	10
14 HLZ 1964 1959	6,9	NOT STAMPED (1816.466)	10
15 HLZ 1964 1695	6		
17 HLZ 1964 1565	6	<u>PDH</u>	
18 HLZ 1964 1667	6	NOT STAMPED (1588.948)	3
20 HLZ 1964 1715	6	7 HLZ 1964 USGS	5
22 HLZ 1964 1709	7	8 HLZ 1964 USGS	5
23 HLZ 1964 1799	7	10 HLZ 1964 USGS	5
24 HLZ 1964 1732	7	19 HLZ 1964 USGS	6
25 HLZ 1964 1717	7	21 HLZ 1964 USGS	6
26 HLZ 1964 1748	7	33 HLZ 1964 USGS	8
27 HLZ 1964 1721	7	36 HLZ 1964 USGS	8
28 HLZ 1964 1727	7	56 HLZ 1964 USGS	10
29 HLZ 1964 1701	7	57 HLZ 1964 USGS	10
30 HLZ 1964 1656	7	65 HLZ 1964 1700	11
31 HLZ 1964 RESET 1971	8		
32 HLZ 1964 RESET 1971	8	<u>NGS</u>	
34 HLZ 1964 1548	8,8	N 224 1958	11
35 HLZ 1964 RESET 1968	8	P 224 1958	5
37 HLZ 1964 1622	8	W 224 1958	5
38 HLZ 1964 1676	8	C 225 1958	5,5
39 HLZ 1964 1660	8		

STODDARTSVILLE
Books B 82, B 1170 and B 1330

PENNSYLVANIA

E. C. Burt, 1917
R. G. Clinite, 1921

ISOLATED BENCH MARKS (By E. C. Burt, 1917; Book B 82, R. G. Clinite, 1921, Book B 1170, 1922, Book B 1330)	<u>feet</u>
Gouldsboro, 3.7 mi SW. of, along Plank Road; 1.0 mi SW. of Drinker Turnpike (now part of Lackawanna Trail); 200 ft NE. of 45-ft steel girder bridge over Lehigh River; iron post marking reservation boundary stamped "U S MILITARY RESERVATION" (Reported destroyed, 1922)	1711.716
Gouldsboro, 4.3 mi SW. of, along Plank Road; 1.6 mi SW. of Drinker Turnpike; 45 ft E. of steel girder bridge over Lehigh River; on S. side of rd.; iron post marking reservation boundary stamped "U S MILITARY RESERVATION"	1678.329
Pocono Lake, 3.6 mi S. of; about 0.2 mi E. of outlet (Tunkhannock Creek) of Long Pond; 60 ft S. and 150 ft W. of rd. fork; in woods; 18 ft NW. of triple maple tree; in rock in place; standard tablet stamped "69 C 1921 PA"	1837.050
Meckesville; 120 ft E. of crossroad; on N. side of rd.; at S. entrance to barn; in S. end of concrete and stone retaining wall; standard tablet stamped "74 C 1921 PA"	1653.780
Albrightsville, 0.2 mi E. of; on N. side of rd.; in NW. corner of concrete platform at front entrance of schoolhouse; standard tablet stamped "75 C 1921 PA"	1625.299
Hickory Run, 1.1 mi E. of; 160 ft S. and 40 ft E. of concrete bridge over Sand Spring; 100 ft N. of 1-1/2 story unpainted frame house; on E. side of rd.; in open ground; in rock outcrop; standard tablet stamped "76 C 1921 PA"	1473.518
Grass Lake, 1.4 mi NE. of; in NE. angle of rd. forks; about 200 ft N. of Carbon-Monroe County line; on S. side of barnyard; in W. end of concrete and stone retaining wall; standard tablet stamped "78 C 1921 PA"	1783.807
Bear Creek, 3.2 mi SE. of; on W. side of rd.; 12 ft S. of 20-in. scrub pine tree; 2 ft higher than roadbed; in rock shelf; standard tablet stamped "12 C 1922 PA"	1420.098
Bear Creek, 1.8 mi E. of; 390 ft W. of junction of rd.; 130 ft NE. of corner of cleared field in timberland; 49 ft E. of station 2147+80; in rock in place; standard tablet stamped "88 C 1921 PA"	1951.234
Stoddartsville, 3.5 mi NW. of former post office; about 350 ft E. of ruins of burned house; on S. side of hwy.; in cleared pasture land; 5 ft inside of fence; in rock in place; standard tablet stamped "87 C 1921 PA"	1863.409
Stoddartsville; just E. of former post office; on E. bank of Lehigh River; on S. side of hwy. opposite Lackawanna-Monroe County line post; in large rock; standard tablet stamped "86 C 1921 PA"	1471.000
Blakeslee; about 450 ft SE. of post office; on SW. side of hwy.; 120 ft NW. of junction of rd.; at SE. end of concrete hwy. bridge; in base of coping; PDH standard disk not stamped	1588.948

ISOLATED BENCH MARKS (Cont'd.)Feet

Wagners; 1.4 mi NW. of former RR. station; at Faith Reformed Chapel; 0.11 mi NW. of junction of State Highway 109 and Locust Ridge Road; 90 ft W. of NW. corner of chapel; in maple grove; in rock in place; standard tablet stamped "17 C 1922 PA"	1744.744
Thornhurst; 0.6 mi SW. of post office; 200 ft NW. of steel bridge over Lehigh River; in pasture; 25 ft NW. of bars at corner of cultivated field; in rock in place; standard tablet stamped "14 C 1922 PA"	1514.423
Clifton; 140 ft N. of former RR. station; 50 ft W. of rd. fork; between rd. and RR. tracks; in rock outcrop; standard tablet stamped "15 C 1922 PA"	1624.197
Gouldsboro, 4.3 mi SW. of; on Plank Road; 1.6 mi SW. of Lackawanna Trail; 20 ft W. of 45-ft steel girder bridge over Lehigh River; in rock in place; standard tablet stamped "16 C 1922 PA"	1679.330

LINE 1.

J. P. Nielsen, 1942; Book B 9646

Bear Creek, 2.2 mi NE. of; 260 ft N. of intersection of trail NE. and RR. bed; 340 ft NE. of E. end of dam; 26 ft E. of RR. bed; 12 ft W. of, and about level with trail; in wooded wedge between trail and RR. bed; in large boulder; standard tablet stamped "2 JPN 1942 1609"	1608.806
Bear Creek, 3.3 mi NE. of, thence 1.2 mi along abandoned wagon rd. NW.; about 1.0 mi S. of Bald Mountain; 18 ft N. and 36 ft W. of intersection of newly made woods rd.; 36 ft W. of rd.; in boulder about level with rd. and 6 in. higher than ground; standard tablet stamped "3 JPN 1942 1887"	1886.806
Reference mark; 50 ft N. and 40 ft E. of tablet; 7 ft W. of rd.; on large boulder; chiseled square	1889.49
U.E., Bear Creek, 3.3 mi NE. of, thence 2.2 mi N.; on E. side of Bald Mountain; 26 ft W. of, and about 1 ft higher than rd.; on large boulder projecting about 6 in. above ground; chiseled square	1881.35

LINE 2.

J. P. Nielson, 1942; Book B 9774

Bear Creek, 6.5 mi NE. of; 40 ft S. and 20 ft W. of junction of I-rd.; about 1 ft higher than rd.; in large boulder; standard tablet stamped "4 JPN 1942 1959"	1938.787
Reference mark; 40 ft E. of tablet; 30 ft S. and 25 ft E. of junction of I-rd. S.; on large boulder flush with ground; chiseled square	1936.41
Meadow Run Road (now State Highway 215), 1.7 mi W. of; 4.5 mi E. of Lehigh Valley RR. crossing Mill Creek Road; 0.3 mi E. of Watsol Stetz farmhouse; 18 ft N. of abandoned rd.; in boulder; standard tablet stamped "17 72 I 1953 1940"	1939.511
Reference mark; 75 ft E. of tablet; 12 ft N. of centerline of Mill Creek Road; on top of boulder; nearly flush with ground; chiseled square	1940.36

				<u>LINE 3.</u>	<u>feet</u>
H. L. Zohn, Jr., 1964; Book AV 1302					
<u>CHECK LINE</u>					
10	5	0.00	"P 224 1958" (NGS)		1622.287
10	5	0.32	U.E., 65 ft N. and 15 ft E. of, and about level with center of bridge over Tobyhanna Creek; on NE. wingwall; chiseled square		1566.08
10	6	0.71	"C 225 1958" (NGS)		1631.962
<u>END OF CHECK LINE</u>					
10	7	0.71	"C 225 1958" (NGS)		1631.962
10	9	1.91	Blakeslee Corners, 0.8 mi NW. of, along State Highway 115; 34 ft SW. of, and about level with centerline of rd. at drain crossing; on S. end of 12-in. pipe culvert; standard tablet stamped "6 HLZ 1964 1622"		1622.256
10	12	3.11	Blakeslee Corners, 1.9 mi NW. of, along State Highway 115; 24 ft SW. of, and 0.5 ft lower than center of bridge; on SW. wingwall; Pennsylvania Department of Highways standard disk stamped "7 HLZ 1964 USGS"		1572.968
10	16	4.38	Blakeslee Corners, 3.2 mi NW. of, along State Highway 115; 2.3 mi SE. of Dry Land Hill Fire Tower; 66 ft NW. of, and 0.6 ft lower than center of bridge over Lehigh River; on NW. wingwall; PDH standard disk stamped "8 HLZ 1964 USGS"		1484.250
10	20	5.71	Blakeslee Corners, 4.6 mi NW. of, along State Highway 115; 0.9 mi S. of Dry Land Hill Fire Tower; 53 ft S. and 21 ft E. of, and 1 ft higher than centerline of rd. at junction of I-rd. NE.; on S. end of 12-in. L-shaped culvert; standard tablet stamped "9 HLZ 1964 1710"		1709.842
10	23	6.63	Dry Land Hill Fire Tower; 27 ft NW. of bottom step at stairs; in rock in place; standard tablet stamped "13 C 1922 PA"		1931.939
10	25	7.37	Dry Land Hill Fire Tower, 0.7 mi NW. of, along State Highway 115; 10 ft N. and 24 ft W. of, and 1 ft lower than center of bridge over small brook; in NW. wingwall; PDH standard disk stamped "10 HLZ 1964 USGS"		1751.969
10	27	8.22	Dry Land Hill Fire Tower, 1.6 mi NW. of, along State Highway 115; 90 ft N. and 27 ft E. of, and 2 ft lower than centerline of rd. at driveway SW.; in E. end of 12-in. L-shaped culvert; standard tablet stamped "11 HLZ 1964 1678"		1677.910

1964

LINE 3 (Cont'd.)Feet

10	29	9.24	Dry Land Hill Fire Tower, 2.6 mi NW. of, along State Highway 115; 4.0 mi SE. of Bear Creek; 24 ft S. and 44 ft E. of, and 1 ft higher than center of bridge over small brook; in SE. wingwall; standard tablet stamped "12 HLZ 1964 1806"	1806.087
10	31	10.03	Dry Land Hill Fire Tower, 3.4 mi NW. of, along State Highway 115; 3.2 mi SE. of Bear Creek; 21 ft N. and 38 ft W. of, and 0.3 ft lower than center of bridge; in NW. wingwall; standard tablet stamped "13 HLZ 1964 1672"	1671.543
10	34	11.28	Bear Creek, 1.9 mi SE. of, along State Highway 115; 4.6 mi NW. of Dry Land Hill Fire Tower; 30 ft N. and 270 ft W. of, and 11 ft lower than centerline of rd. at junction of I-rd. N.; in N. end of 18-in. L-shaped culvert; standard tablet stamped "14 HLZ 1964 1959"	1958.680
10	37	12.46	Bear Creek, 0.8 mi SE. of, along State Highway 115; 100 ft E. of, and 1.3 ft higher than centerline of rd. at woods rd. N.; in E. end of 3-ft pipe culvert; standard tablet stamped "15 HLZ 1964 1695"	1694.903

[Jogs into Wilkes Barre quadrangle]

10	41	14.24	Bear Creek, 1.0 mi N. of, along private rd. leading N. along E. side of Bear Creek; 25 ft N. and 20 ft E. of, and 4 ft higher than centerline of switch back; 5 ft W. of witness post; in top of rock outcrop; standard tablet stamped "17 HLZ 1964 1565"	1564.460
10	43	15.59	"2 JPN 1942 1609" (Described in line 1)	1608.806

LINE 4.

H. L. Zohn, Jr., 1964; Book AV 1302

10	46	0.85	Blakeslee Corners, 0.8 mi NE. of, along State Highway 940; 28 ft S. and 5 ft E. of, and 1.2 ft lower than center of bridge over small brook; in top of E. end of S. rail; standard tablet stamped "18 HLZ 1964 1667"	1667.447
10	48	2.18	Blakeslee Corners, 2.2 mi NE. of, along State Highway 940; 22 ft S. and 7 ft W. of, and 1.2 ft lower than center of bridge; in SW. wingwall; PDH standard disk stamped "19 HLZ 1964 USGS"	1668.974
10	50	3.42	Blakeslee Corners, 3.4 mi NE. of, along State Highway 940; 26 ft S. of, and 0.8 ft lower than center of bridge over small creek; in E. end of S. rail; standard tablet stamped "20 HLZ 1964 1715"	1714.943
10	52	4.37	Blakeslee Corners, 4.4 mi NE. of, along State Highway 940; 22 ft S. and 18 ft W. of, and 0.9 ft lower than center of bridge over small creek; in SW. wingwall; PDH standard disk stamped "21 HLZ 1964 USGS"	1663.569

1964

LINE 4 (Cont'd.)Feet

10	54	5.13	Blakeslee Corners, 4.9 mi NE. of, along State Highway 940, thence 0.2 mi N. along rd. leading to Brady's Lake; 45 ft S. and 26 ft W. of, and 2 ft higher than centerline of rd. at woods rd. E.; in top of large boulder; 2 ft E. of witness post; standard tablet stamped "22 HLZ 1964 1709"	1709.384
10	56	6.35	Blakeslee Corners, 4.9 mi NE. of, along State Highway 940, thence 1.4 mi N. along rd. leading to Brady's Lake; 33 ft W. of, and 0.5 ft lower than centerline of rd.; in woods just S. of State Game Land parking area; in top of concrete post; 1 ft W. of witness post; standard tablet stamped "23 HLZ 1964 1799"	1798.529
10	61	6.62	U.E., 10 ft N. and 16 ft W. of, and 1 ft lower than centerline of twin 3-ft pipe culvert; on N. end of W. rock retaining wall; chiseled square	1736.94
10	62	7.39	Blakeslee Corners, 4.9 mi NE. of, along State Highway 940, thence 2.4 mi N. along rd. leading to Brady's Lake; 40 ft E. of, and 1.5 ft higher than centerline of rd.; in woods directly across rd. from State Game Land Parking area; 4 ft N. of witness post; in top of large boulder; standard tablet stamped "24 HLZ 1964 1782"	1781.805
10	64	8.35	Brady's Lake; 40 ft NW. of Brady's Lake sign; 15 ft NW. of gate; 10 ft N. of, and 0.1 ft lower than centerline of 24-in. pipe culvert; in N. end of E. abutment; standard tablet stamped "25 HLZ 1964 1717"	1716.653
10	66	9.27	Brady's Lake, 0.9 mi N. of, along old woods rd. leading to old RR. bed; 26 ft S. and 17 ft W. of, and level with centerline of rd. at junction of I-rd. W.; 1 ft N. of witness post; in top of concrete post; standard tablet stamped "26 HLZ 1964 1748"	1747.587
10	67	10.12	Brady's Lake, 1.8 mi NW. of, along old woods rd.; 13 ft W. of, and 1 ft higher than centerline of old RR. bed; 1 ft W. of witness post; in top of 3- by 4-ft sandstone boulder; standard tablet stamped "27 HLZ 1964 1721"	1720.667
10	68	10.85	Brady's Lake, 2.5 mi NW. of, along old woods rd. and old RR. bed; 25 ft N. and 36 ft W. of, and 6.2 ft higher than centerline of crossroad; 9 ft W. of witness post; in top of small boulder; standard tablet stamped "28 HLZ 1964 1727"	1727.438
10	69	11.51	Brady's Lake, 3.2 mi NW. of, along old woods rd. and old RR. bed; 5 ft N. and 7 ft E. of, and 0.5 ft higher than center of bridge over creek; 2 ft S. of witness post; in N. end of E. rail; standard tablet stamped "29 HLZ 1964 1701"	1701.424
10	70	12.79	Brady's Lake, 4.5 mi NW. of, along old woods rd. and old RR. bed; 72 ft E. and 15 ft N. of, and 3.7 ft higher than centerline of rd. at driveway E.; 2 ft S. of witness post; in top of large boulder; standard tablet stamped "30 HLZ 1964 1690"	1690.274

LINE 4 (Cont'd.)Feet

10	72	13.58	Thornhurst, 2.5 mi E. of, along macadam rd.; 11 ft S. and 6 ft E. of, and 1.6 ft lower than center of small bridge over creek; in top of SE. wingwall; standard tablet stamped "31 HLZ 1964 RESET 1971"	1570.359
10	73	14.47	Thornhurst, 1.6 mi E. of, along macadam rd.; 13 ft S. and 10 ft W. of, and level with center of bridge over creek; in SW. wingwall; standard tablet stamped "32 HLZ 1964 RESET 1971"	1566.024
10	74	15.31	Thornhurst, 0.8 mi E. of, along macadam rd.; 16 ft S. and 21 ft W. of, and 0.5 ft higher than center of bridge over creek; in SW. wingwall; PDH standard disk stamped "33 HLZ 1964 USGS"	1552.412
10	75	16.10	Thornhurst; 2 ft N. of power pole; 36 ft S. of, and 0.5 ft lower than centerline of rd. at junction of Bear Lake Road and River Road; in concrete post; standard tablet stamped "34 HLZ 1964 1548"	1547.793
10	77	17.03	Thornhurst, 0.9 mi W. of, along Legislative Route 35086; at station S6+37.50; in NW. corner of wing and abutment of new Pennsylvania Department of Highways bridge; standard tablet stamped "35 HLZ 1964 RESET 1968"	1521.735
10	79	18.11	Thornhurst, 2.0 mi W. of, along macadam rd.; 6 ft N. of county line marker; 32 ft SE. of center of bridge over Choke Creek; in SE. wingwall; PDH standard disk stamped "36 HLZ 1964 USGS"	1516.013
11	6	19.43	Thornhurst, 3.3 mi SW. of, along macadam rd.; 30 ft W. of, and 1 ft lower than centerline of rd. at junction of I-rd. SE. leading to Tiger Hill; in concrete post; standard tablet stamped "37 HLZ 1964 1622"	1621.559
11	7	19.84	U.E., 7 ft N. and 10 ft W. of, and 1 ft higher than center of bridge over Kendall Creek; on W. end of N. rail; top of bolt	1595.97
11	8	20.23	Thornhurst, 4.1 mi SW. of, along macadam rd.; 28 ft S. and 16 ft E. of, and 1 ft lower than centerline of rd. at woods rd. S.; 1 ft N. of witness post; in concrete post; standard tablet stamped "38 HLZ 1964 1676"	1676.276
11	10	21.10	"39 HLZ 1964 1710" (Described in line 3)	1709.842

LINE 5.

H. L. John, Jr., 1964; Book AV 1302

11	13	0.00	"34 HLZ 1964 1548" (Described in line 4)	1547.793
11	14	1.08	Thornhurst, 1.1 mi NW. of, along Bear Lake Road; 15 ft NE. of, and level with centerline of rd. at junction of I-rd. W.; in N. end of 12-in. rock culvert; standard tablet stamped "39 HLZ 1964 1680"	1679.474
11	16	1.92	Thornhurst, 1.9 mi NW. of, along Bear Lake Road; 59 ft N. and 34 ft W. of, and 2 ft lower than centerline of rd. at junction of I-rd. W.; 1 ft E. of witness post; in concrete post; standard tablet stamped "40 HLZ 1964 1708"	1707.897

1964

LINE 5 (Cont'd.)Feet

11	18	2.70	Thornhurst, 2.7 mi NW. of, along Bear Lake Road; 9 ft N. and 13 ft E. of, and 0.4 ft lower than center of bridge over creek; in top of NE. wingwall; standard tablet stamped "41 HLZ 1964 1751"	1751.081
11	20	3.52	Thornhurst, 3.5 mi NW. of, along Bear Lake Road; 27 ft W. of, and 1.4 ft lower than center of bridge over creek; in top of NW. wingwall; standard tablet stamped "42 HLZ 1964 1862"	1861.497
11	22	4.22	Thornhurst, 4.2 mi NW. of, along Bear Lake Road; 57 ft SE. of, and 7 ft lower than centerline of rd. at junction of I-rd. SW.; 3 ft W. of witness post; in top of 3- by 4-ft boulder; standard tablet stamped "43 HLZ 1964 1898"	1897.945
11	24	5.33	Thornhurst, 5.3 mi NW. of, along Bear Lake Road; 30 ft S. and 52 ft W. of, and 3 ft higher than centerline of rd. at woods rd.; 1 ft N. of witness post; in concrete post; standard tablet stamped "44 HLZ 1964 1956"	1956.381
11	26	6.51	Thornhurst, 6.5 mi NW. of, along Bear Lake Road; 3 ft S. of power pole; 32 ft S. and 5 ft E. of, and 2.5 ft higher than centerline of rd. at junction of I-rd. N.; in concrete post; standard tablet stamped "45 HLZ 1964 1997"	1996.742
11	29	7.59	Thornhurst, 7.6 mi NW. of, along Bear Lake Road; 3.1 mi NE. of intersection of State Highway 115 and Bear Lake Road; 43 ft NW. of, and 2 ft lower than centerline of rd. at junction of Y-rd.; 3 ft SE. of witness post; in concrete post; standard tablet stamped "46 HLZ 1964 1941"	1941.415
11	31	8.53	Thornhurst, 8.5 mi NW. of, along Bear Lake Road; 2.1 mi NE. of intersection of State Highway 115 and Bear Lake Road; 2 ft S. of power pole; 28 ft S. and 34 ft W. of, and 2 ft lower than centerline of crossroad; 5 ft W. of witness post; in concrete post projecting 0.5 ft.; standard tablet stamped "47 HLZ 1964 1960"	1959.918
11	33	9.46	Thornhurst, 9.5 mi NW. of, along Bear Lake Road; 1.2 mi N. of intersection of State Highway 115 and Bear Lake Road; 20 ft S. and 40 ft W. of, and 3 ft higher than centerline of rd. at woods rd. NW.; 3 ft E. of witness post; in top of large boulder; standard tablet stamped "48 HLZ 1964 2008"	2008.143
11	36	10.65	"14 HLZ 1964 1959" (Described in line 3)	1958.690

LINE 6.

H. L. Zohn, Jr., 1964; Book AV 1302

11	39	0.00	"w 224 1958" (NGS)	1541.654
11	40	1.12	Pocono Interchange (Pa. Turnpike), 1.1 mi SE. of, along turnpike; 120 ft N. of milepost No. 73.3; 38 ft W. of, and 1 ft lower than centerline of median strip; in S. end of headball of 3- by 4-ft catch basin; standard tablet stamped "49 HLZ 1964 1713"	1712.663

1964

LINE 6 (Cont'd.)feet

11	42	2.25	Pocono Interchange (Pa. Turnpike), 2.3 mi SE. of, along turnpike; at milepost 72.2; 38 ft W. of, and 1 ft lower than centerline of median strip; in S. end of headwall of 3- by 4-ft catch basin; standard tablet stamped "50 HLZ 1964 1741"	1740.788
11	43	3.43	Pocono Interchange (Pa. Turnpike), 3.4 mi SE. of, along turnpike; 320 ft N. of milepost 71.0; 36 ft E. of, and 3.3 ft lower than centerline of median strip; at center of bridge; in SE. wingwall of bridge over dirt rd.; Pennsylvania Turnpike Commission standard disk not stamped	1816.466
11	45	4.51	Pocono Interchange (Pa. Turnpike), 4.5 mi SE. of, along turnpike; 3.1 mi NW. of junction of turnpike and State Highway 903; 60 ft N. of milepost 70.0; 37 ft W. of, and 1 ft lower than centerline of median strip; in S. end of headwall of 3- by 4-ft catch basin; standard tablet stamped "51 HLZ 1964 1721"	1721.141
11	47	5.71	Pocono Interchange (Pa. Turnpike), 5.7 mi SE. of, along turnpike; 1.9 mi NW. of junction of turnpike and State Highway 903; 60 ft N. of milepost No. 68.9; 65 ft S. and 28 ft E. of, and level with centerline of median at center of bridge over State Highway 534; in S. end of E. rail; PTC standard disk not stamped	1545.493
11	49	6.86	Pocono Interchange (Pa. Turnpike), 6.9 mi SE. of, along turnpike; 0.8 mi NW. of junction of turnpike and State Highway 903; at milepost No. 67.8; 37 ft W. of, and 1 ft lower than centerline of median strip; in S. end of headwall of 3- by 4-ft catch basin; standard tablet stamped "52 HLZ 1964 1601"	1600.792
<u>[Jogs into Lehighton quadrangle]</u>				
11	53	8.85	Albrightsville; 1.9 mi SW. of junction of State Highways 903 and 534, along Highway 903; 27 ft S. of, and level with centerline of rd. at drain crossing under rd.; in E. end of 12-in. rock culvert; standard tablet stamped "E1 4 AAS 1959 1651" (Reported disturbed, 1969)	1650.471
11	56	9.87	Albrightsville; 0.9 mi SW. of junction of State Highways 903 and 534, along Highway 903; 4 ft S. of power pole; 65 ft NE. of, and 3 ft higher than centerline of field rd. E.; in concrete post; standard tablet stamped "55 HLZ 1964 1609"	1609.182
11	58	10.77	Albrightsville, 0.1 mi S. of junction of State Highways 903 and 534; 30 ft S. of, and level with center of bridge over Mud Shuck Creek; in SE. wingwall; PDH standard disk stamped "56 HLZ 1964 USGS"	1530.553
11	59	11.12	Albrightsville; 0.2 mi E. of junction of State Highways 903 and 534, along Highway 534; 20 ft E. of, and level with center of bridge over Dilldown Creek; in NE. wingwall; PDH standard disk stamped "57 HLZ 1964 USGS"	1541.162

LINE 6 (Cont'd.)

1964

				<u>Feet</u>
11	61	12.32	Albrightsville, 1.5 mi SE. of junction of State Highways 903 and 534, along Highway 534; 15 ft N. and 20 ft W. of, and 1 ft higher than center of bridge over Mud Shuck Creek; in NW. wingwall; standard tablet stamped "58 HLZ 1964 1595"	1594.844
11	62	13.12	Albrightsville, 2.3 mi SE. of junction of State Highways 903 and 534, along Highway 534; 0.4 mi W. of crossroad at Meckesville; 15 ft E. of, and 0.3 ft lower than center of bridge over small creek; in NE. wingwall; standard tablet stamped "59 HLZ 1964 1618"	1617.520
11	64	14.06	Meckesville Crossroad, 0.5 mi NE. of, along macadam rd.; 4 ft W. of power pole; 33 ft N. and 23 ft W. of, and 2 ft lower than centerline of field rd. NW.; in concrete post; standard tablet stamped "60 HLZ 1964 1679"	1678.940
11	66	15.58	Meckesville Crossroad, 2.0 mi NE. of, along macadam and dirt rd.; 2 ft W. of witness post; 40 ft N. of, and 0.5 ft higher than centerline of crossroad; in top of small boulder; standard tablet stamped "61 HLZ 1964 1754"	1753.947
11	68	16.25	Meckesville Crossroad, 2.7 mi NE. of, along macadam and dirt rd.; 10 ft NW. of witness post; 10 ft W. of USGS gaging station; 22 ft S. and 24 ft E. of, and 0.7 ft lower than center of bridge over Dilldown Creek; in S. end of small dam; standard tablet stamped "GAGING STATION 62 HLZ 1964 1669"	1669.385
11	71	17.21	Meckesville Crossroad, 3.7 mi NE. of, along macadam and dirt rd.; 2 ft N. of witness post; 30 ft S. of, and level with centerline of crossroad; in concrete post; standard tablet stamped "63 HLZ 1964 1873"	1872.783
11	73	17.93	"N 224 1958" (NGS)	1822.526

LINE 7.

H. L. Zohn, Jr., 1964; Book AV 1302

12	5	0.81	Clifton Beach, 3.6 mi SW. of, along macadam rd. leading to Thornhurst; 10 ft S. and 9 ft W. of, and 2.5 ft lower than center of bridge over small creek; in SW. wingwall; standard tablet stamped "64 HLZ 1964 1592"	1592.265
12	8	2.09	Clifton Beach, 2.3 mi SW. of, along macadam rd. leading to Thornhurst; 25 ft N. and 10 ft E. of, and 1 ft lower than center of bridge over small creek; in NE. wingwall; PDH standard disk stamped "65 HLZ 1964 1700"	1700.226
12	11	3.25	Clifton Beach, 1.1 mi SW. of, along macadam rd. leading to Thornhurst; 1 ft E. of witness post; 3 ft N. of power pole; 39 ft W. of, and 4 ft higher than centerline of rd. at woods rd. NW.; in concrete post; standard tablet stamped "66 HLZ 1964 1834"	1833.532