

THIRD-ORDER LEVELING
SEA LEVEL DATUM OF 1929

SUSQUEHANNA QUADRANGLE
PA. 213-N.Y. 57A
N4115-W7530/15
DIAGRAM NK 18-8
SCRANTON

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Susquehanna County, Pa.
Broome County, N. Y.


Only the permanent marks
are listed for lines
run more than 25 years
before edition date

Final adjustment of 1971

Edition of 5/3/72

PR: LF3/po

NINEVEH
(N.Y. 57-Pa. 235)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 410754

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
880 ALBANY 1900	6,12	110 RJN 1966 2078	15
893 ALBANY 1900	3	111 RJN 1966 2008	15
955 ALBANY 1900	3,4	112 RJN 1966 1996	15
TT STA NO 1 A 1929	3,4	113 RJN 1966 2115	16
TT STA No 2 A 1929	3	117 RJN 1966 1293	16
TT STA NO 3 A 1929	4	118 RJN 1966 1562	16
TT STA NO 4 A 1929	5,13	119 RJN 1966 1566	16
TT STA NO 5 A 1929	5,13	120 RJN 1966 1689	17
TT STA NO 6 A 1929	6	121 RJN 1966 1531	17
TT STA NO 7 A 1929	7	122 RJN 1966 1241	17
TT STA NO 8 A 1929	7,11	124 RJN 1966 903	17
TT STA NO 9 A 1929	8	502 RJN 1966 1951	18
TT STA NO 10 A 1929	8	503 RJN 1966 1882	18
TT STA NO 11 A 1929	8		
TT STA NO 12 A 1929 1772	9,17	<u>PDH</u>	
TT STA NO 15 A 1929	3		
TT STA NO 26 A 1929 1990		Not stamped (915.673)	4
RESET	12,15,16	Not stamped (907.410)	5
TT STA NO 30 A 1929	9	Not stamped (1418.990)	8
1 WA 1931	10	Not stamped (1524.291)	8
2 WA 1931	10	123 RJN 1966 USGS	17
3 WA 1931	11,14	105 RJN 1966 USGS	14
4 WA 1931	12		
WV 15 1942 917	13	<u>NGS</u>	
101 RJN 1966 1383	13		
102 RJN 1966 1518	14	C 54 1934	16
103 RJN 1966 1655	14	K 52 1934	12
104 RJN 1966 1382	14	HALLSTEAD 1934	12,18
106 RJN 1966 1408	14	L 149 1941	13
107 RJN 1966 1752	15	A 279 1961	16
108 RJN 1966 1914	15	J 279 1961	13
109 RJN 1966 1992	15		

1900

ISOLATED BENCH MARKS (By C. H. Semper, 1900; Bulletin 515)	<u>Feet</u>
Hickory Grove; 500 ft N. of station; in top of SE. abutment of iron bridge; standard tablet stamped "993 ALBANY 1900" (Reported destroyed, 1931)	803.671
<u>LINE 1.</u>	
By M. A. Roudabush, 1930; Book B3903	
U.E., Melrose; on NE. corner of lowest step of Melrose Church; chiseled square	1194.56
Stevens Point, 1.7 mi SE. of; 0.4 mi NW. of Melrose Church; 38 ft S. and 15 ft E. of center of grass triangle at private rd. to house of Albert Wayman; 21 ft E. of centerline of hwy; in concrete post; standard tablet stamped "TT STA NO 15 A 1929"	1172.975
Stevens Point, 0.3 mi NE. of; 17 ft S. and 145 ft E. of front step of Methodist Episcopal Church; 50 ft SE of Deep Hollow rd.; in boulder; standard tablet stamped "TT STA NO 1 A 1929"	1123.503
Stevens Point; 200 ft E. of station and post office; on N. end of E. bridge seat of steel hwy. bridge over Starrucco Creek; chiseled square	1093.00
U.E., Stevens Point, 0.4 mi W. of; 75 ft NW. of Erie Railroad milepost "S5-00 33"; 30 ft N. of tracks; on ledge at E. edge of farm rd.; chiseled square	1030.65
U.E., Brandt; 100 ft SE. of crossing at station; on S. end of W. back-wall of concrete hwy. bridge; chiseled square	1030.34
U.E., Jefferson Junction, 1.2 mi W. of; 0.6 mi E. of Lanesboro station on Erie RR.; 500 ft S. of hwy. crossing of RR.; 240 ft E. of switch; 11 ft S. of centerline of Erie RR.; on ledge; chiseled square	987.95
Lanesboro, 0.7 mi NE. of post office; 30 ft S. of centerline of hwy.; 72 ft E. of private rd. to Zigler farmhouse; in concrete post; standard tablet stamped "TT STA NO 2 A 1929"	916.692
Susquehanna, 1.2 mi NE. of station; 92 ft SE. of S. abutment of Erie RR. new concrete bridge over hwy.; in top of W. side of S. abutment of dismantled bridge; standard tablet stamped "955 ALBANY 1900" (Tied by NGS, 1934) (Reported not found, 1966)	956.415
Reference mark; 470 ft NE. of tablet; on N. end of E. backwall of same bridge first course below guardstone; chiseled square	961.63

1930

LINE 1 (Cont'd.)Feet

Lanesboro; 200 ft W. of centerline of rd. at junction of T-rd. SE. to Thompson; N. of Susquehanna rd.; S. of Erie RR. steel bridge; in cut in top of N. end of E. abutment of concrete hwy. bridge over Canawacta Creek; Pennsylvania Department of Highways standard disk not stamped	915.673
U.E., Lanesboro, 0.5 mi NE. of post office; 230 ft W. of viaduct; on NE. corner of S. abutment of steel hwy. bridge over mouth of Starrucca Creek; chiseled square	913.73

LINE 2.

By M. A. Roudabush, 1930; Book B3903

"TT STA NO 1 A 1929" (Described in line 1)	1123.503
--	----------

LINE 3.

By C. E. Walker, 1931; Book B4645

"955 ALBANY 1900" (Described in line 1)	956.415
U.E., Susquehanna, 1.0 mi NE. of station; on SE. corner of concrete base to RR. semaphore; chiseled square	941.40
U.E., Susquehanna, 0.4 mi NE. of station; on SE. corner of N. concrete pier under Erie RR. water tank; chiseled square	913.23
U.E., Susquehanna; at NW. corner of Erie RR. station; at W. edge of door to Y.M.C.A. reading room; on corner of stone foundation; chiseled square	911.89
U.E., Susquehanna, 0.7 mi W. of; 9 ft SW. of NW. corner of steel RR. bridge over Susquehanna River; 3 ft N. of N. rail; 1.5 ft below rail; on top of concrete abutment; chiseled square	909.62
Susquehanna, 1.2 mi W. of; 30 ft N. and 30 ft W. of forks of rd. SE.; 32 ft E. of centerline of rd. S. to sandpit; 35 ft N. of centerline of hwy.; in concrete post; standard tablet stamped "TT STA NO 3 A 1929" (Reported not found, 1967)	1061.807
Reference mark; 20 ft SE. of tablet; on W. end of N. headwall of concrete hwy. culvert; chiseled square	1059.38

1931

<u>LINE 3 (Cont'd.)</u>	<u>Feet</u>
U.E., Susquehanna, 1.8 mi W. of, along Susquehanna-Great Bend Highway; about 0.2 mi E. of cemetery; 60 ft SE. of secondary T-rd. S. to RR.; on W. end of S. headwall of concrete hwy. culvert; chiseled square	925.94
Hickory Grove, 1.9 mi E. of, along Route 692; on SW. corner of concrete hwy. bridge; standard PDH disk not stamped	907.410
U.E., Hickory Grove, 1.3 mi E. of, on N. side of Route 692; on E. end of N. headwall of concrete hwy. culvert; chiseled square	913.24
U.E., Hickory Grove, 0.7 mi E. of, on Erie RR.; on N. side of tracks; 11 ft below track; at yard limit sign; on NW. corner of bridge No. 194-63; chiseled square	888.84
U.E., Hickory Grove, 0.2 mi E. of station; on Erie RR.; on NE. corner of concrete base to RR. semaphore signal No. 195-2; chiseled square	896.09
Hickory Grove; 35 ft N. and 53 ft W. of center of concrete bridge over Denton Creek; 35 ft N. of centerline of hwy.; in SE. corner of yard of T. Downs; in concrete post; standard tablet stamped "TT STA NO 4 A 1929"	900.103
U.E., Hickory Grove, 0.7 mi W. of; on Erie RR.; 100 ft E. and 40 ft S. of milepost No. JC 196; on NE. corner of concrete base to RR. semaphore signal No. 196-4; chiseled square (Tied by NGS, 1934)	894.211
U.E., Hickory Grove, 1.5 mi W. of; on Erie RR.; 0.2 mi E. of milepost No. JC 197; on S. side of track; on NE. corner of concrete base to semaphore signal No. 196-2; chiseled square (Tied by NGS, 1934)	890.631
U.E., Hickory Grove, 1.9 mi W. of; on Erie RR.; on NW. corner of RR. bridge No. 196-16 over secondary road; chiseled square	886.39
Great Bend, 2.3 mi E. of; 16 ft S. and 29 ft E. of private rd. intersection; 48 ft N. and 30 ft E. of center of deep fill over High Bridge Creek; 30 ft E. of centerline of rd.; in concrete post; standard tablet stamped "TT STA NO 5 A 1929" (Reported not found, 1967)	911.059
Reference mark; 90 ft SW. of tablet; on N. end of concrete wall between RR. and hwy.; chiseled square	890.77
U.E., Great Bend, 1.7 mi E. of; on Erie RR.; on N. side of track; on SE. corner of concrete base to semaphore signal No. 196-1; chiseled square (Tied by NGS, 1934)	884.903

1931

LINE 3 (Cont'd.)Feet

U.E., Great Bend, 1.3 mi E. of; on Erie RR.; on NW. corner of RR. bridge No. 198-52; chiseled square	881.88
U.E., Great Bend, 0.7 mi E. of, along Erie RR.; 20 ft N. and 40 ft W. of crossing of second-class rd.; on center of S. side of old concrete semaphore signal base; chiseled square (Tied by NGS, 1934)	878.866
Great Bend; 200 ft N. of Erie RR. station; at site of abandoned RR. water tank; in face of SE. foundation stone; standard tablet stamped "800 ALBANY 1900" (Tied by NGS, 1934)	880.828
Great Bend; 35 ft S., thence 38 ft W. of center of triangle formed by junction of Route 692 and Lackawanna Trail; on E. side of rd.; in N. end of bridge over Erie RR.; standard tablet stamped "TT STA NO 6 A 1929" (Reported destroyed, 1967)	906.490
U.E., Hallstead; on SW. corner of steel bridge over Susquehanna River; on top of retaining wall; chiseled square	881.88
U.E., Hallstead, 0.5 mi S. of river bridge 410; S. of Hallstead iron foundry; at hwy station 651; on top of SE. corner of concrete culvert; chiseled square	889.66
U.E., Hallstead, 0.9 mi S. of river bridge at station 639+90 (old station 2419); on NW. corner of concrete hwy. culvert; chiseled cross	916.13
U.E., Hallstead, 1.4 mi S. of river bridge at station 614; on SE. corner of hwy. bridge over Delaware, Lackawanna and Western Railroad; top of concrete wingwall; chiseled square	969.51
U.E., Hallstead, 1.9 mi S. of river bridge; at hwy. station No. 586+10; on NE. corner of hwy. culvert; chiseled square	1021.14
U.E., Hallstead, 2.3 mi S. of river bridge; at hwy. station No. 566+60; on SW. corner of concrete hwy. culvert; chiseled square	972.18
U.E., Hallstead, 2.7 mi S. of river bridge; at hwy. station No. 544; on NW. corner of hwy. culvert; chiseled square	1041.42

1931

LINE 3 (Cont'd.)Feet

Hallstead, 2.9 mi S. of; 27 ft W. of private rd. to G. T. Gathany's house; 22 ft W. and 17 ft N. of center of rd. over concrete culvert No. 22/03; 26 ft W. of Lackawanna Trail; set in top of concrete post; standard tablet stamped "TT STA NO 7 A 1929" (Reported not found, 1967)	1022.079
Reference mark; 135 ft S. of tablet; on N. end of W. headwall of concrete hwy. culvert; chiseled square	1018.98
U.E., New Milford, 3.0 mi N. of; 3.5 mi S. of Hallstead; at hwy. station No. 499+75; on N. end of W. headwall of concrete culvert; chiseled square	985.84
U.E., New Milford, 2.7 mi N. of; at hwy. station No. 482+40; 160 ft SE. of RR. overhead bridge; on S. end of E. headwall of concrete culvert; chiseled square	1003.54
U.E., New Milford, 2.4 mi N. of; 150 ft S. of T-rd. W.; at hwy. station No. 465+30; on SW. corner of concrete bridge over Beaver Creek; chiseled square	1017.66
U.E., New Milford, 1.8 mi N. of hwy. station No. 432+30; on NE. corner of concrete bridge over D.L. & W. RR.; chiseled square	1062.16
U.E., New Milford, 1.5 mi N. of; at hwy station No. 419+80; on SW. corner of concrete hwy. bridge; chiseled square	1043.82
U.E., New Milford, 0.9 mi N. of junction of U. S. Route 11 and Jackson Road; at hwy station No. 392+55; on S. end of W. headwall of concrete culvert; chiseled square	1079.11
New Milford, 450 ft E. of crossroads formed by the Lackawanna Trail and Jackson Road; 26 ft N., thence 24 ft E. of T-rd. N.; at lower end of New Milford; in corner of John Huntley's yard; 26 ft N. of rd.; set in top of concrete post; standard tablet stamped "TT STA NO 8 A 1929" (Reported not found, 1967)	1114.811
Reference mark; 425 ft W. of tablet; in SE. angle of Lackawanna Trail and Jackson Road; at W. edge of sidewalk; on top of curb; chiseled square	1108.24
U.E., New Milford, 0.4 mi E. of; at hwy station No. 24+45; at E. end of S. headwall of concrete culvert; chiseled square	1182.57
U.E., New Milford, 0.9 mi E. of; at hwy. station No. 50+10; on E. end of S. headwall of concrete culvert; chiseled square	1250.35

1931

LINE 3 (Cont'd.)Feet

U.E., New Milford, 1.2 mi E. of; at hwy station No. 65+70; 80 ft W. and 25 ft N. of rd. forks; on W. end of N. headwall of concrete culvert; chiseled square	1258.83
U.E., New Milford, 1.6 mi E. of; at hwy. station No. 90+30; 30 ft W. and 20 ft S. of private rd. fork; on W. end of S. headwall of concrete culvert; chiseled square	1322.86
U.E., New Milford, 2.7 mi E. of; at hwy. station No. 138+60; 170 ft SE. of B. C. Tourje's house; on W. end of N. headwall of concrete culvert; chiseled square	1397.07
New Milford, 3.2 mi E. of; 33 ft N. of intersection of private rd. to U. B. Rice's farmhouse; 20 ft N., thence 3 ft W. of U. B. Rice's mailbox; in large cleared field; on opposite side of rd. from W. H. Jennings' yellow house; on N. side of rd. and 24 ft from Jackson Road; set in top of concrete post; standard tablet stamped "TT STA 9 A 1929"	1435.175
Reference mark; 45 ft SE. of tablet; on E. end of S. headwall of concrete culvert; chiseled square	1431.49
New Milford, 3.6 mi E. of; on Legislative Route 474; at hwy. station No. 197+70; on NW. corner of bridge over small run; PDH standard disk not stamped	1418.990
Jackson, 2.9 mi W. of; 510 ft E. of crossroads; on NE. corner of concrete bridge over creek; PDH standard disk not stamped	1524.291
Jackson, 2.3 mi W. of; 39 ft N. of, thence 33 ft E. of T-rd. NE. to Brushville; 11 ft W. of corner of rock fence; 26 ft N. of Jackson rd. set in top of concrete post; standard tablet stamped "TT STA NO 10 A 1929" (Reported destroyed, 1953)	1501.025
U.E., Jackson, 130 ft N. and 80 ft E. of junction of Routes 492 and 92; 10 ft S. of SW. corner of Methodist Church; on corner of concrete sidewalk; chiseled square	1354.62
Jackson, 0.92 mi NE. of; 21 ft N., thence 20 ft E. of intersection of crossroads; on opposite side from small waiting room for school children; and in corner of large cleared field; 20 ft N. of rd.; set in top of concrete post; standard tablet stamped "TT STA NO 11 A 1929" (Reported not found 1966)	1635.945
U.E., Jackson, 2.4 mi E. of; at hwy. station No. 2364; 5 ft above rd.; on N. side of rd.; on rock ledge; chiseled square	1696.84

1931

LINE 3 (Cont'd.)Feet

U.E., Jackson, 2.8 mi E. of; 2.7 mi W. of Thompson; on W. side of Route 392; on N. end of lower concrete step to Whitney's house; chiseled square	1733.82
U.E., Thompson, 2.1 mi W. of; 0.4 mi W. of RR bridge; 15 ft E. and 15 S. of T-rd. NW.; on top of large rock in place; chiseled square	1808.65
Thompson, 1.2 mi SW. of; 35 ft N., thence 14 ft E. of center of triangle at T-rd. NW. to North Jackson; 0.2 mi (by transit traverse) NE. of Jefferson Division of Erie RR. bridge over rd.; in center of large loop in RR.; 8 ft NW. of W. W. Slocum's mailbox; 20 ft N. of Thompson-Jackson Road; set in top of concrete post; standard tablet stamped "TT STA NO 12 A 1929 1772"	1772.431
U.E., Thompson, 0.5 mi SW. of; in NW. angle of crossroads; on N. end of concrete headwall to culvert; chiseled square	1708.10
U.E., Thompson; at W. edge of town; on N. edge of dam across Starruca Creek; 18 ft S. of rd.; chiseled square	1668.78
U.E., Thompson; at E. edge of; 30 ft W. and 20 ft N. of junction of hwy. Routes 470 and 70; on NW. corner of large concrete block; chiseled square	1652.02

LINE 4.

By C. E. Walker, 1931; Book 4645

Thompson, 1.4 mi S. of; 36 ft E., thence 15 ft S. of intersection of T-rd. S.; 59 ft E., thence 7 ft S. of stone filled culvert over small stream on N. side of hwy; set in top of concrete post; standard tablet stamped "TT STA NO 30 A 1929" (Reported not found, 1963)	1911.570
Reference mark; 120 ft W. of tablet; 80 ft W. of T-rd. S.; on W. side of rd.; on large rock; chiseled square	1911.05
U.E., Thompson, 0.6 mi SE. of; at hwy. station No. 1295+25; 20 ft E. of rd.; on top of large rock in place; chiseled square	1804.80
U.E., chiseled square (Described in line 3)	1652.02

1931

LINE 5.Feet

By C. E. Walker, 1931; Book B4645

U.E., Susquehanna, 0.9 mi S. of; on Route 92; 375 ft SW. of T-rd. E.; 75 ft W. of rd.; on top of large rock in place; chiseled square	1044.93
U.E., Road Fork; opposite; on NE. corner of base to hwy. signpost; chiseled square	1071.87
U.E., Susquehanna, 1.3 mi S. of; on SE. corner of concrete hwy. bridge over creek; chiseled square	1069.51
U.E., Susquehanna, 2.2 mi S. of; along Route 92; 60 ft S. and 60 ft E. of rd. forks; in fenceline; 3 ft S. of fence corner; on top of large rock; standard tablet stamped "1 WA 1931"	1237.767
U.E., Susquehanna, 2.5 mi S. of; along Route 92; on NW. corner of concrete hwy. bridge over branch; chiseled square	1240.05
U.E., Susquehanna, 3.0 mi S. of; along Route 92; 20 ft W. of rd. forks; on SW. corner of concrete base to hwy. signpost; chiseled square	1410.80
U.E., Susquehanna, 3.8 mi S. of; along Route 92; at hwy. station No. 1655+00; opposite secondary rd. forks; 15 ft W. of hwy.; on top of large rock; chiseled square	1472.20
U.E., on W. corner of concrete base to hwy. signpost opposite rd. fork; chiseled square	1602.06
Susquehanna, 5.1 mi S. of; along Route 92; 15 ft N. and 120 ft W. of T-rd. W.; 45 ft N. of N. stone wall of North Jackson cemetery; on N. bank of rd.; in top of large rock; standard tablet stamped "2 WA 1931"	1652.697
Reference mark; 35 ft SE. of tablet; on top of large rock; chiseled square	1650.13
U.E., Susquehanna, 6.2 mi S. of, thence 1.3 mi W. of Route 92 at top of hill on N. side of rd.; top of rock; chiseled square	1792.14

1931

LINE 6.Feet

C. E. Walker, 1931; Book B4645	
"TT STA NO 8 A 1929" (Described in line 3)	1114.811
Reference mark; chiseled square (Described in line 3)	1108.24
U.E., New Milford, 0.3 mi SW. of; in center of S. headwall of concrete bridge; chiseled square	1101.00
U.E., New Milford, 0.7 mi SW. of; on U. S. Route 11; at hwy. station No. 1389+45; on S. side of rd.; on W. end of S. headwall of concrete culvert; chiseled square	1122.82
U.E., New Milford, 1.3 mi SW. of; on U. S. Route 11; 240 ft N. of T-rd. N. to Montrose; at junction of Routes 11 and 106; on SE. corner of bridge over RR.; chiseled square	1163.10

7
Jogs into Montrose quadrangle

U.E., Kingsley, 0.7 mi S. of; on U. S. Route 11; at hwy. station No. 1370; on S. end of W. headwall of concrete culvert; chiseled square	966.69
--	--------

LINE 7.

By C. E. Walker, 1931; Book B4645	
Gibson, 65 ft S. of SE. corner of Gibson School; 550 ft S. of T-rd. SE.; in top of large rock; standard tablet stamped "3 WA 1931"	1218.108
U.E., Gibson, in NW. angle of crossroads; top of large rock; chiseled square	1210.76
U.E., Gibson, 2.2 mi SE. of; 230 ft NE. of Union Hill Church; 70 ft NW. of cross road; on top of large rock; chiseled square	1547.31
U.E., Gibson, 2.7 mi SE. of; 0.5 mi S. of Union Hill Church; 20 ft S. and 15 ft E. of T-rd. E.; top of rock; chiseled square	1483.26

1931

LINE 7 (Cont'd.)Feet

Gibson, 3.3 mi SE. of; 2.7 mi N. of South Gibson; 1.1 mi S. of Union Hill Church in valley; 30 ft S. and 30 ft E. of rd. fork; 10 ft E. of fenceline; set in top of large rock; standard tablet stamped "4 WA 1931"	1272.302
Reference mark; 10 ft E. of tablet; in top of large rock; chiseled square	1272.91

LINE 8.

By C. E. Walker, 1931; Book B4645

Dimnock Corners; 70 ft E. of, and 0.5 ft higher than centerline of crossroads; in concrete post; standard tablet stamped "TT STA NO 26 A 1929 1990 RESET"	1989.480
---	----------

LINE 9.

By W. D. Leech, 1934; Book B5596

"880 ALBANY 1900" (Described in line 3) (Tied by NGS, 1934)	880.828
---	---------

LINE 10.

By F. B. Neary, 1942; Book B9387

"K 52 1934" (NGS)	1135.746
U.E., New Milford, 0.2 mi SW. of; 250 ft W. of bridge over Delaware, Lackawanna, and Western RR.; 40 ft W. of rd. fork; in N. end of concrete headwall; chiseled square	1124.54
U.E., New Milford, 1.1 mi W. of; 0.5 mi NW. of summit Tea Room; 75 ft N. of N. point of triangle of rd. forks; 75 ft SE. of drain crossing; on E. side of rd.; on top of boulder; chiseled square	1384.24

⌈Jogs into Montrose quadrangle⌋

U.E., Hallstead; 40 ft NW. of intersection of church and Du Bois Streets; on stone at S. end of culvert; chiseled square	875.94
"HALLSTEAD 1934" (NGS)	889.293
Reference mark; chiseled square (Described in line 3)	881.83

1942

LINE 11.Feet

By Wallace Varley, 1942; Book B9768

2	28	19.36	Susquahanna, 3.0 mi NE. of, along State Highway 92; 70 ft N. and 110 ft E. of two-story brown shingled summer home located on W. side of hwy.; 60 ft W. of W. bank of the Susquahanna River; 15 ft W. of centerline of hwy.; in S. end of W. headwall of small culvert across hwy.; chiseled square	915.19
2	29	21.29	Lanesboro Post Office, 0.9 mi N. of, along macadam rd. leading to Damascus; at junction of rd. and T-rd. NW.; 60 ft W. of centerline of macadam rd.; 8 ft E. of E. rail of northbound track of Delaware & Hudson Railroad; in N. end of E. headwall of RR. bridge over small creek; standard tablet stamped "WV 15 1942 917" (Reported not found, 1968)	917.228
2	30	21.75	"L 149 1941" (NGS) (Reported destroyed, 1966)	1043.003

LINE 12.

By Wallace Varley, 1942; Book B9768

			"TT STA NO 5 A 1929" (Described in line 3)	911.050
			"TT STA NO 4 A 1929" (Described in line 3)	900.103

LINE 13.

By R. J. Neff, 1966; Book NV 1456

1	4	0.00	"J 279 1961" (NGS)	1194.145
1	7	1.12	Gibson, 1.4 mi W. of, along State Highway 547; 1.1 mi E. of interchange at Interstate Highway 81; about 60 ft S. of, and 3 ft lower than centerline of rd.; at low point; in top of embedded boulder at gap in old stone fence; standard tablet stamped "101 RBN 1966 1333"	1382.540
1	9	1.95	U.E., 170 ft W. of, and 14 ft higher than centerline of rd. at junction of T-rd. SW.; about 1 ft E. of point where water falls from spring spout; on embedded rock; chiseled square	1169.27

1966

LINE 13 (Cont'd.)Feet

1	11	2.78	"3 WA 1931" (Described in line 7)	1218.106
1	13	3.39	U.E., 12 ft NW. of, and 0.5 ft lower than centerline of rd. at drain crossing; on top of flat rock; chiseled square	1329.25
1	14	3.70	Gibson, 1.0 mi E. of, along graveled rd.; 1.2 mi W. of Kennedy Hill; 50 ft SE. of, and 10 ft higher than centerline of rd. at junction of T-rd. S.; in top of large boulder; standard tablet stamped "102 RJN 1966 1518"	1517.692
1	15	4.12	U.E., 35 ft NW. of, and 5 ft higher than centerline of rd. at junction of T-rd. N.; on top of rock; chiseled square	1556.23
1	17	4.93	Gibson, 2.2 mi E. of, along graveled rd. to Kennedy Hill; 1.8 mi NW. of Smiley; 30 ft N. of, and 5 ft higher than centerline of rd. at field entrance N.; in top of large boulder; standard tablet stamped "103 RJN 1966 1655"	1654.733
1	19	6.05	Smiley, 0.4 mi NW. of, along graveled rd.; 3.3 mi E. of Gibson; 13 ft SW. of, and 1.5 ft higher than centerline of rd. at junction of woods rd. S.; in top of rock; standard tablet stamped "104 RJN 1966 1382"	1381.474
1	22	6.74	U.E., 25 ft W. of, and 0.8 ft lower than centerline of crossroads; on N. end of concrete headwall; chiseled square	1073.32
1	23	6.94	Smiley, 0.2 mi E. of, along graveled rd.; 3.9 mi NW. of Dimock Corners; 25 ft W. of, and 0.5 ft lower than center of bridge; in SW. wingwall of bridge; PDH standard disk stamped "105 RJN 1966 USGS"	1047.437
1	26	7.83	Smiley, 1.1 mi E. of, along graveled rd.; 3.0 mi NW. of Dimock Corners; 60 ft N. of, and 6.5 ft higher than centerline of rd.; 60 ft E. of SE. corner of grey-shingled two-story frame house; in top of rock; standard tablet stamped "106 RJN 1966 1403"	1407.705
1	23	8.52	U.E., 8 ft N. of, and 0.5 ft lower than centerline of rd. at drain crossing; on rock headwall; chiseled square	1576.94

1966

LINE 13 (Cont'd.)Feet

1	29	8.83	Dimock Corners, 2.0 mi W. of, along macadam rd.; 2.1 mi SE. of Smiley; 300 ft NW. of residence of Floyd H. Cole; 20 ft E. of centerline of rd.; 10 ft SE. of large butternut tree bearing white witness sign; in top of rock flush with ground; standard tablet stamped "107 RJN 1966 1752"	1751.547
1	30	9.42	U.E., 300 ft SE. of farmhouse; 15 ft S. of, and level with centerline of rd. opposite; on flat rock; chiseled square	1910.33
1	31	9.73	Dimock Corners, 1.1 mi NW. of, along macadam rd.; 3.0 mi SE. of Smiley; 100 ft E. of, and 3.0 ft higher than centerline of rd. at junction of T-rd. SW.; in top of large rock; standard tablet stamped "108 RJN 1966 1914"	1914.202
1	33	10.86	"TT STA NO 26 A 1929 1990 RESET" (Described in line 8)	1989.480
1	34	11.82	Dimock Corners, 1.0 mi N. of, along macadam rd.; 5.0 mi S. of Ararat; 30 ft SE. of, and 2.0 ft higher than centerline of rd. at junction of T-rd. W.; crimped to copper-coated steel rod driven 3.5 ft to refusal; standard tablet stamped "109 RJN 1966 1992"	1992.246
1	37	12.83	Dimock Corners, 2.0 mi N. of, along macadam rd.; 4.0 mi S. of Ararat; 30 ft E. of, and 1.5 ft lower than centerline of rd. opposite; 2 ft W. of witness post; crimped to copper-coated steel rod driven 6.5 ft to refusal; standard tablet stamped "110 RJN 1966 2078"	2077.569
1	38	13.65	Dimock Corners, 2.8 mi N. of, along macadam rd.; 3.1 mi S. of Ararat; 110 ft SE. of, and 6.0 ft higher than centerline of crossroads; 1 ft W. of steel witness post; crimped to copper-coated steel rod driven 7.5 ft to refusal; standard tablet stamped "111 RJN 1966 2000"	2000.126
1	39	14.67	Ararat, 2.1 mi S. of, along graveled rd.; 3.8 mi N. of Dimock Corners; about 600 ft N. of point where rd. passes over small hill; 20 ft E. of, and 0.5 ft higher than centerline of rd. opposite; in top of rock; standard tablet stamped "112 RJN 1966 1996"	1995.500

1966

LINE 13 (Cont'd.)Feet

1	40	15.19	U.E., 10 ft E. of, and 0.8 ft higher than centerline of rd. at junction of T-rd. E.; on rock at edge of rd.; chiseled square	2053.47
1	41	15.87	Ararat, 0.9 mi SW. of, along graveled rd.; 5.0 mi N. of Dimock Corners; about 230 ft SE. of centerline of rd.; 100 ft NE. of wooded fence-line; in top of rock outcrop near NW. corner of field; standard tablet stamped "113 RJN 1966 2115"	2115.225
1	42	16.82	"C 54 1934" (NGS)	2009.373

LINE 14.

By R. J. Neff, 1966; Book AV 1456

1	44	0.00	"TT STA NO 26 A 1929 1990 RESET" (Described in line 8) (Also in line 13)	1989.480
---	----	------	--	----------

LINE 15.

By R. J. Neff, 1966; Book AV 1456

2	16	0.00	"A 279 1961" (NGS)	1255.457
2	17	1.41	New Milford, 1.9 mi E. of, along State Highway 492; 2.0 mi W. of Lakeside; 1.4 mi E. of Interstate Highway 83 overpass; 12 ft NE. of, and 2.5 ft higher than center of bridge; in top of E. end of N. parapet; standard tablet stamped "117 RJN 1966 1293"	1293.371
2	20	2.62	New Milford, 2.1 mi E. of; 2.0 mi NW. of Lakeside; 1.9 mi E. of Interstate Highway 83 interchange, along State Highway 492, thence 0.8 mi NE. along graveled rd.; 25 ft SE. of, and 3.0 ft lower than centerline of rd. at top; 10 ft NW. of westernmost one of four large maple trees in row; crimped to copper-coated steel rod driven 3 ft to refusal; standard tablet stamped "118 RJN 1966 1562"	1561.930
2	23	3.93	New Milford, 4.0 mi NE. of; 1.9 mi E. of Interstate Highway 83 interchange, along State Highway 492, thence 2.1 mi NE. along graveled rd.; at W. end of curve; 22 ft W. of, and 4.0 ft higher than centerline of rd. opposite; about 40 ft SW. of 35-in. maple tree on opposite side of rd.; in top of rock out in bank; standard tablet stamped "119 RJN 1966 1566"	1566.022

1966

LINE 15 (Cont'd.)Feet

2	25	5.02	Lakeside, 2.7 mi N. of, along macadam rd.; 4.7 mi SW. of Susquehanna; 35 ft NE. of, and 0.5 ft lower than centerline of rd. at junction of driveway NW.; in top of rock; standard tablet stamped "120 RJN 1966 1689"	1689.005
2	28	6.06	Susquehanna, 3.7 mi SW. of, along macadam rd.; 3.3 mi N. of Lakeside; 70 ft SE. of, and 9.0 ft higher than centerline of rd. at junction of T-rd. E.; crimped to copper-coated steel rod driven 6 ft to refusal; standard tablet stamped "121 RJN 1966 1531"	1530.685
2	31	7.14	Susquehanna, 2.6 mi SW. of, along macadam rd.; 4.8 mi N. of Lakeside; 0.3 mi N. of Brushville; at inside edge of curve; 40 ft W. of, and 2.5 ft lower than centerline of rd.; in top of rock; standard tablet stamped "122 RJN 1966 1241"	1241.144
2	33	8.54	Susquehanna, 1.2 mi SW. of, along macadam rd.; 1.8 mi N. of Brushville; 100 ft W. of, and 11 ft lower than centerline of rd. at junction of graveled rd. W.; in NE. wingwall of bridge on graveled rd.; PDH standard disk stamped "123 RJN 1966 USGS"	998.714
2	35	9.75	U.E., chiseled square (Described in line 3)	911.89

LINE 16.

By R. J. Neff, 1966; Book AV 1456

2	37	0.00	U.E., chiseled square (Described in line 3)	913.23
2	37	0.06	Susquehanna; at SW. corner of large steel girder bridge over Susquehanna River; 14 ft W. of centerline of State Highway 171; in concrete base of bridge; standard tablet stamped "124 RJN 1966 903"	902.565

LINE 17.

By R. J. Neff, 1966; Book AV 1456

2	42	0.00	"TT STA NO 12 A 1929 1772" (Described in line 3)	1772.431
---	----	------	--	----------

1966

LINE 17 (Cont'd.)Feet

2	43	1.45	Thompson, 1.3 mi N. of, along State Highway 171, thence 0.3 mi SW. along graveled rd., thence about 700 ft NW.; in top of large rock; standard tablet stamped "502 RJN 1966 1951"	1951.273
---	----	------	---	----------

LINE 18.

By R. J. Neff, 1966; Book AV 1456

2	48	0.41	Lakeside, 2.2 mi N. of, along macadam rd., thence 0.4 mi W. along field rd.; 4.0 mi SW. of Susquehanna; 0.4 mi NW. of Maple Ridge School; at S. edge of cleared field; 175 ft W. of fence corner; about 100 ft E. of fence at top; in large rock; standard tablet stamped "503 RJN 1966 1882"	1881.876
---	----	------	---	----------

LINE 19.

By R. J. Neff, 1966; Book AV 1464

"HALLSTEAD 1934"	(NGS)	(Also in line 10)	889.293
------------------	-------	--------------------	---------